



FRAGRANT ORCHID SPECIES

The Canadian Orchid Congress

<http://www.CanadianOrchidCongress.ca/>

FRAGRANT ORCHID SPECIES

The Canadian Orchid Congress

Compiled by Sydney H. Yearron, Victoria Orchid Society, Victoria, British Columbia, Canada

LEGEND

NOMENCLATURE

(!)	informal nomenclature
(??)	authenticity doubted
INV before species	invalid nomenclature
N+ before species	natural hybrid
C	confused status

STATUS OF FRAGRANCE

? after species	fragrance assumed
? before species	doubt of fragrance

STRENGTH OF FRAGRANCE

F	faint
S	strong
VS	very strong
XS	extremely strong
I	irregular

TYPE OF FRAGRANCE

del	delicate
SW	sweet
VSW	very sweet

TIME WHEN FRAGRANT

M	morning
D	day
E	evening
N	night

Acacallis

cyanea

" var tricolor NEBr
(Aganisia, Koellensteinia,
Zygotepetalum tricolor)

Acampe

dentata del

longifolia (multiflora) (penangiana)
(rigida) (Saccobalium, Vanda l)

mombasensis (Saccobalium m)

multiflora (Vanda m)

papillosa (Saccobalium p) VS hyacinth

penangiana (rigida)

praemorsa (Sarcochilus papillosa etc) S

rigida (longifolia etc) (penangiana) F

Acanthephippium

(all species?)

bicolor S candy

javanicum S

mantinianum

striatum

sylhetense VS

Acineta

(all species ?)

alba

barkeri (Peristeria b) S

chrysantha (densa) (sellaturcica)

(warscewiczii) (Neippergia c) S

colmani hort (superba) S anise

densa (chrysantha)

erythroxantha

fulva (superba)

humboldtii (superba)

sellaturcica (chrysantha)

superba (colmani) hort (fulva)

(humboldtii) (Anguloa S) Spice

" var staminea

" var vulva

warscewiczii (chrysantha)

Acoridium

cobbianum (Dendrochilum c)
(Platyclinis cobbiana)
glumaceum (Dendrochilum g)
(Platyclinis glumacea)
latifolium (Dendrochilum l)
(Platyclinis latifolia)
longifolium (Dendrochilum l)
(Platyclinis longifolia)
uncatum (Dendrochilum u)
(Platyclinis uncata)

Acropera

see Gongora

Ada

allenii (Brassia a) SW

Adenostylis

sulcata (Zeuxine strateumatica)
(Zeuxine sulcata)
(Orchis strateumatica)

Adenoncos

sumatrana

Adipe

racemosa (fulva) (Bifrenaria, Colax,
Maxillaria, Stenocoryne r) vanilla

Aerangis

articulata (Angraecum a)	
biloba (Angraecum b, apiculatum)	N citron
" var kirkii	D narcissus
brachycarpa	S SW E
caligera	VS
citrata (Angraecum c)	F lemon
clavigera	
confusa	E
coriacea	
cryptodon (Angraecum c)	

curnowiana	
decaryana	
dives	
ellisii (<i>Angraecum e</i>)	VS gardenia I
fastuosa (<i>Angraecum f</i>)	F VS tuberoses
flabellifolia	
friesiorum	VS E N
fuscata (<i>Angraecum f</i>)	S
kotschyi (<i>kotschiana</i>) (<i>Angraecum k</i>) (<i>Angraecum semipedale</i>)	S E N carnation, spicy, vanilla
laurentis	
listrachys (<i>Rangaeris amanensis</i>)	F
luteo-alba var rhodosticta	
modesta (<i>Angraecum m</i>)	VS spice, menthol?
mooreana	
mystacidii	lily of the valley
platyphylla	ylang-ylang perfume
pumila	
rostellaris	F
somalensis	
spiculata	
stylosa	E spice
thomsonii	
ugandensis	
umbonata	
verdickii	S SW
verdicosa (<i>Angraecum v</i>)	
Ball 1419	honey

Aeranthes

(all species)
arachnites (Dendrobium a)
funalis (Dendrophylax f)
(Limodorum funale) (Oeceoclades f)
grandiflora
parvula SW lily
sesquipedalis (Angraecum sesquipedale)

Aeranthus

fragrans (Jumellea f etc)
distichus (Angraecum distichum)
(Limodorum imbricatum)

leonis (Angraecum l etc)
lindeni (Angraecum l) (Polyrrhiza l)
sesquipedale (Angraecum s etc)

Aerides

(all species)	
affine (multiflora etc)	
album (quinquevulnatum etc)	
arachnites	
brookei (crispum etc)	
crassifolia (expansum)	
crispa (brookei) (lindleyanum)(warneri)	
cylindricum	
expansum (crassifolium)	
falcata (larpentae)	
(Neofinetia falcata etc)	
" var houletianum (houletianum)	
" var lioniae	S
farmeri (quinquevulnatum etc)	
fastuosa (Sedirea f)	
fenzlianum (quinquevulnatum etc)	
fieldingii (williamsii)	S
" var album	(?)
flabellata	S
godefroyanum (multiflorum etc)	
houletianum (falcatum var h)	VS
huttoni	
illustre (maculosum var I)	S
japonicum (Sedirea j)	I
jarckiana (leanum)	
larpentae (falcatum)	
lawrencieae	S spice, lemon
" var amesiana	
" var sanderiana	
leeana (jarckiana)	SW
lindleyanum (brookei, crispum)	
maculosa (Gastrochilus speciosus)	
(Saccolabium speciosum)	
" var formosum	
" var illustre (A. illustre)	
" var schroderea	
marginatum (quinquevulnatum etc)	

mitrata (Seidenfadenia mitrata)	SW
multiflora (affine) (godefroyanum)	
(roseum) (trigonom)	
" var lobbii	
" var veitchii	
nobile (odoratum etc)	
odorata (nobile etc) (suavissimum)	
(virens) (Epidendrum odoratum)	
(Orxera cornuta)	S pomatum
" var majus	
" var purpuratum	
quinquevulnatum (album) (farmeri)	cinnamon
(fenzlianum) (marginatum)	
(thiboutianum)	S
" var purpuratum	S
radicosa (ringens)	
ringens (radicosa)	
roebelinii	S
roseum (multiflorum etc)	
suavissimum (odoratum etc)	
sulingii (Armadorum s)	
thiboutianum (quinquevulnatum etc)	
trigonom (multiflorum etc)	
vandarum	S
" var delicatum (?)	
virens (odoratum etc)	
warneri (crispum etc)	
williamsi (fieldingii)	

Aganisia

pullchella	
tricolor (Acacallis cyanea var t NEBr)	
(Zygopetalum t)	

Amesiella

philippinensis (Angraecum p)	
------------------------------	--

Amphiglottis

diformis (Epidendrum difforme etc)	
------------------------------------	--

Anacamptis

pyramidalis	hyacinth
-------------	----------

Anacheilium		
cochleatum (Epidendrum c)		
fragrans (Epidendrum f etc)		
Ancistrochilus		
rothschildianus		
thomsonianus	S	
Angorchis		
eburneum (Angraeanum, Limodorum e)		
sesquipedale (Angraecum s etc)		
Angraecopsis		
falcata (Angraecum fastuosum)	spring lilies	
Angraecum		
(Macroplectrum)		
apiculatum		
ankeranense		
arcuata (Cyrtorchis a)		
(Listrostachys a)		
arnoldianum (eichlerianum)		
articulata (Aerangis a)		
bicallosum		
bicaudatum (Tridactye b)		
bilobum (Aerangis biloba)		
" var kirkii		
birrimense	S orange blossom	
breve		
caudatum (Plectrelminthus caudatus)		
christyanum (Calyptrochilum c etc)		
citratum (Aerangis citrata)		
comorense	E spice	
compactum		
conchiferum		
crumenatum (Dendrobium c)		
cryptodon (Aerangis c)		
cuculatum		
cultriforme	SW	
dendrobiopsis	N	
didieri		

distichum (*Aeranthes distichus*)
 (Limodorum imbricatum)
 (Mystacidium d) (*Macroplectum d*) narcissus
 eburneum (*virens*) (*Angorchis eburnea*)
 (Limodorum e)
 " var giryamae (ssp g)
 " var superbum (*Angraecum superbum*)
 " ssp xerophilum N
 eichlerianum (*arnoldianum*) S
 elephantium
 ellisii (*Aerangis e*)
 equitans
 falcatum (*Finetia, Neofinetia falcata*)
 (Nipponorchis, Occeoclades, *Orchis*,
 Limodorum, *Angraecopsis f*) almonds
 fastuosum (*Aerangis fastuosa*)
 flavulatum
 florulentum S
 fragrans (*Jumellea f*)
 friesiorum N
 fuscatum (*Aerangis fuscata*)
 giryamae ?
 germinyanum (ramosum etc)
 humbertii
 humboldtii (*leonis*) (*Aeranthes l*)
 imbricatum (*Calyptrochilum l*) SW
 infundibulare (*Mystacidium l*)
 kotschyana (semipedale) (*Aerangis k*)
 leonis (*humblotii*) (*Aeranthus l*)
 (Limodorum l) (*Macroplectrum l*)
 (Polyrrhiza l etc)
 (Comoro Islands form) S E
 lindeni
 longicalcar
 magdalenae SW E spice
 mahavense
 modesta (*Aerangis m*)
 mooreanum
 obesum
 penzigianum DF N
 philippinensis (*Amesiella p*)
 praestans

protensum	
ramosum (germinyanum) (Macroplectum r)	
rutenergianum	E F yarrow
rutenburg	
scottianum	
semipedale (kotschyana)	
sesquipedale (Macroplectum s)	
(Aeranthes, Angorchis, Mstacidium s)	XS
sororium	S
superbum (eburneum var s)	
triquetrum	
verdickii (Aerangis v)	I
viguieri	F VS
virens (eburneum etc)	
xerophilum	N
xylopus	
Hillerman #40	S spice

Anguloa

(all species ?)	
abrupta (Catasetum a etc)	
cliftonii	S
clowesii	VS medicinal, candy
" var. macrantha hort	
" var. flava hort	
" var. xanthocheila	
eburneum	
grandiflora NBK (Stanhopea g etc)	S(???)
hohenlahi	
purpura (rueckeri var sanguinea)	
ruckeri	S
" var albiflora(?) var nodial(?)	
var redise(?)	
" var retusa(?)	
(var sanguinea(?) A. purpura)	
superba (Acinita s)	
turneri (uniflora var turneri)	
uniflora (virginalis)	XS oil of wintergreen
" var martini (?) treyerani(?)	
(turneri A. turneri)	
virginalis (uniflora)	

Ania
elmeri F

Anota
violacea

Ansellia
africana (concolor yellow)
barred, spotted vars F

Arachnis
(Arachnanthe)
alba (hookeriana etc)
breviscapa macaroons, almonds
calcarata (Mt. Kinabulu type) aniseed
cathcartii (Esmeralda, Vanda c)
clarkei (Esmeralda, Vanda c)
flos-aeris (moscifera) (Epidendrum,
Limodorum, Renanthera f) S musk
" var gracilis SW
" var insignis
hookeriana (alba) (Renanthera h)
lowii (Dimorphorchis l)

Arachnites
muscifera (Ophrys m etc)

Arethusa
bulbosa
catenata (Caladenia carneae)
divertica (Cleistes d)

Armadorum
distichum (sulingii)
labrosum (Arrhynchium labrosum)
sulingii (distichum) (Aerides s)

Arrhynchium
labrosum (Armadorum l)

Artorima		
erubescens (Encyclia e)		D
Arundina		
graminifolia		del
Ascocentrum		
curvifolium (Gastrochilus, Saccolabium curvifolius)		del
hendersonianum (Dyakia h) (Saccolabium h)		del
Aspasia		
epidendroides (fragrans) (Odontoglossum aspasia)	S D	
fragrans (epidendroides)		
lunata		
principissa (rousseauea)	S	
variegata (Odontoglossum variegatum)		
Aulizeum		
ciliare (Aulizia ciliaris etc)		
glumaceum (Epidendrum g)		
Aulizia		
ciliaris (Aulizium ciliare) (Epidendrum ciliare)		
nocturna (Epidendrum n)		
Baclandii		
macrostachya		
Baptistonia		
echinata (Oncidium e)		water melon
Barkeria		
(Epidendrum) naevosa		D musk
Batemania		
armillata (Zygopetalum chloranthum)	F	
burtii (Huntleya b etc)		
colleyi (Maxillaria c)		

grandiflora (Mendosella g)
meleagris (Huntleya m etc)

Bifrenaria

atropurpurea (Maxillaria a)
calcarata
fragrans (inodora) (Lycaste i hort)
hadweni (Lenticaria h)
harrisoniae (Colax, Dendrobium,
Lycaste, Stanhopea h)
(Maxillaria spathacea) exotic
" vars alba, eburnea, grandiflora,
nubigera, purpuraceum ?)
inodora (fragrans) (Lycaste l) I
racemosa (Adipe r etc)
tetragona (Lycaste, Maxillaria t) foxy

Bletia

amboinensis (Phaius a etc) del
bicolor (Tetramicra b)
cebolleta (Brassavola c)
cucullata (Brassavola c etc)
domingensis (Laeliopsis d etc)
nodosa (Brassavola n etc)
parviflora (Tetramicra p)
rhapalorrhachis (Brassavola r etc)
rigida (Tetramicra r etc)
scaposa (Brassavola nodosa)
stricta (Eulophia s)
tankervilliae (Phaius t)
venosa (Brassavola v etc)
woodfordii (Phaius flavus)

Bollea

coelestis (pulvinaris)
(Zygopetalum coeleste)
dayana (Zygopetalum d)
klabochorum (Zygopetalum k)
lalindei (Zygopetalum l)
lawrenceana (Zygopetalum l)
patini (Zygopetalum p) S
pulvinaris (coelestis)

violacea (Huntleyi v)
(*Zygopetalum violaceum*)
wendlandiana

Bonatea
ugandae S cloves

Bothriochilus
(*Coelia*)
beaueriana (*Coelia (triptera)*
(*Epidendrum t*)
bellus (*INV Coelia bella*)
densiflorus (*INV Coelia densiflora*)
macrostachyus (*INV Coelia macrostachya*)
triptera (*beaueriana*) (*Epidendrum tripterum*) S lily of the valley

Brachycorythis
bulbinella (*Schizochilus b etc*)
kalbreyeri spice

Brassavola
(all species)
acaulis (*lineata*) S
appendiculata (*cucullata*) (*cuspidata*)
(*odoratissima*) (*Cymbidium*,
Epidendrum cucullatum)
augusta (*martiana* etc)
cebolleta (*Bletia c.*)
cordata (*subulifolia*) N
cucullata (*appendiculata* etc)
(*Bletia c*)
cuspidata (*appendiculata* etc)
digbyana (*Laelia d*) (*Rhyncholaelia d*) VS SW N citron fruit, rose, licorice, chartreuse liqueur
flagellaris
fragrans (*perrinii*) (*tuberculata*) N
gibbsiana (*tuberculata* etc)
glauca (*Laelia g*) (*Rhyncholaelia g.*)
grandiflora (*nodosa* etc)
lineata (*acaulis*) S
martiana (*augustata*) (*surinamensis*)
nodosa (*grandiflora*) (*rhapalorrhachis*)
(*scaposa*) (*venosa*) (*Bletia n*) E

perrinii (fragrans)	S N
rhapalorrhachis (nodosa etc)	
scaposa (nodosa etc)	
subulifolia (cordata)	
surinamensis (martiana etc)	
tuberculata (gibbsiana)	F vanilla
venosa (nodosa etc)	

Brassia

allenii (Ada a)	honey
arachnoides	
arcuigera (longissima)	
aristata (verrucosa etc)	
augusta (cochleata) (lawrenceana)	S
brachiata (verrucosa etc)	
caudata (lewisii) (longissima) (Malaxis c)	
cinnamomea (keilliana)	
cochleata (lawrenceana etc)	
chlorops (parviflora)	S
clowesii (Miltonia, Oncidium, Odontoglossum c)	
coryandra (verrucosa etc)	
cowani	
gireoudiana (Oncidium gireoudianum)	
guttata (maculata)	
keiliana (cinnamomea) (Oncidium k) (Ada)	
lanceana (macrostachya) (pumilla)	
lawrenceana (augusta etc) (Oncidium l) " var. longissima (arcuigera etc)	
lewisii (caudata etc)	
longilobia (verrucosa etc)	
longissima (arcuigera) (lawrenceana var l.)	musty, pleasant
macrostachya (lanceana etc)	
maculata (guttata) (wraye)	S
ochroleuca	SW
odontoglossoides (verrucosa etc)	
parviflora (chlorops)	
pumila (lanceana etc)	
verrucosa (aristata) (brachiata) (coryandra) (longilobia)	
(Oncidium brachiatum, verrucosum)	

"var majus	S
villosa	S
wagneri	

Broughtonia
linearis (*Coelogyne fimbriata*)

Bulbophyllum

ambrosia (watsonianum)	bitter almonds
auricomum (tripetaloides etc)	S
buntingii	S coumarin
campanulatum (Cirrhopetalum c)	
chinense (Cirrhopetalum c)	F
cocoicum	S dessicated coconut
colletii (Cirrhopetalum c)	
comosum	S
dearei (godseffianum) (<i>Sarcopodium d hort</i>)	
foeniseccii (tripetaloides etc)	
godseffianum (dearei)	
gracillimum (psittacoides)	
Cirrhopetalum g)	
henshallii (lobbii etc)	
lobbii (henshallii) (siamense) (<i>Sarcopodium l</i>)	S
longissimum (Cirrhopetalum l)	
macranthum (<i>Sarcopodium m</i>)	S strawberry?
makoyanum (Cirrhopetalum m)	
medusae (Cirrhopetalum m)	musty
" var album (?)	
occidentale (<i>Epidendrum polybulbon</i>)	
ornatissimum (Cirrhopetalum o)	
picturum (Cirrhopetalum p)	
psittacoides (gracillimum)	
reticulatum (Cirrhopetalum r)	
siamense (lobbii etc)	
suavissimum	S SW I
tripetaloides (auricomum) (foeniseccii) (<i>Dendrobium foeniseccii</i>)	
watsonianum (ambrosia)	

Burlingtonia		
decora (Rodriguezia d)	S	spice, candelwood
fragrans (Rodriguezia venusta)		hawthorn
maculata (Rodriguezia m)		
pubescens (Rodriguezia p)		
rosea (Rodriguezia secunda etc)		

Cadetia		
hispida	SW	vanilla

Caladenia		
alata (carnea etc)		
augustata	S	musk
carnea (alata) (arethusa catenata)	S	musk, honey
" var gigantea		
pетersonii var suavoleans	S	
testacea		honey

Calanthe		
(Limatodes)		
izu insularis	S	floral
stricta (sieboldii)		orange peel

Calceolus		
alternifolia (marianus)		
(Cypripedium calceolus)		

Callista
see Dendrobium

Caloglossum		
flabellatum (Cymbidiella flabellata etc)		

Calopogon		
pulchellus		

Calypso		
bulbosa		

Calyptrochilum		
chrystianum (mombasense) (orientale)		
(Angraecum c)	F	

imbricatum

Camarotis

rostrata (purpurea) (Aerides rostratum) S

Capanemia

micromera

uligiosa

Catasetum (Monachanthus)

abruptum (luridum) (Anguloa abrupta)

adnatum (atratum)

appendiculatum spice

atratum (adnatum)

barbatum (spinosum) (Monachanthus viridis)

bicolor (gongoroides)

bungerothii (pileatum) XS

calceolatum (russellianum)

callosum

ciliatum (discolor)

cirraeoides

claveringii (macrocarpum)

collare wintergreen

christyanum

celtoideum (?)

dilectum var suave

(Dressleria dilecta var s)

discolor (ciliatum) (roseo-album)

(viridiflavum) rye bread, caraway

expansum

fimbriatum (Myanthus fimbriatus) VS I spice

floribundum (macrocarpum etc)

garnettianum VS

glaucoglossum

globiflorum

gongoroides (bicolor)

gnomus

inapterum (purum etc)

integerrimum (maculatum) (not Keith)

longifolium (Monachanthus longifolius)

luridum (abruptum) (Anguloa abrupta) S

luxatum (Mormodes l.)

macrocarpum (clavingerii) (floribundum)	
(tricolor (male flowers))	
(tridentatum)	S spice
macroglossum	
maculatum (integerimum Keith)	
(oerstedii etc)	
microglossum	
naso	
oerstedii (maculatum) (rostratum)	S
pileatum (bungerothii)	S SW
planiceps	spice
punctatum	
purum (inapertum) (semiapertum)	
rhamphastos (tabulare)	
roseum (Clowesia rosa) (discolor etc)	
rostratum (oerstedii etc)	
russellianum (calceolatum) (Clowesii r)	
(male flower)	
saccatum (male flower)	
saccatum christyanum	
"var chrystanum	
scurra (warscewiczii)	
semiapertum (purum etc)	
serratum (viridiflavum)	
spinose (barbatum)	
tabulare (rhamphastos)	
tenebrosum	spice, citrus
thylaciochilum	SW N
tricolor (macrocarpum)	
tridentatum (macrocarpum etc)	
trulla	
viridiflavum (serratum)	
warscewiczii (scurra) (Clowesia w)	lemon, roses
N+ xtapiroiceps	

Cattleya (Laelia *)

aclandiae (Epidendrum a)	S spice*
acuminata	*
albida	
alexandrinae (elongata)	
alutacea (velutina etc)	
amabilis hort (intermedia etc)	

amethystoglossa (guttata forma prinzii) spice*	
anceps	
arembgerii (loddigesii etc)	F
aurantiaca	F
aurea (labiata sub var aurea)	* lemon
autumnalis	
bicolor (Epidendrum b)	S I pinks
" var duveenii	S
bicolor brasiliensis	
brownii	
bulbosa (walkeriana etc)	
citrina (karwinski) (Encyclia c)	
(Epidendrum citrinum) (Sobralia c)	spice
choocoensis (labiata var quadricolor)	
(labiata var trianae)	*
crispa	
dawsonii (labiata var lueddemanniana) (C.I)	
discolor	
dowiana (labiata var d)	SW citron, soapy
edithiana (mossiae)	
elatior (guttata) (sphenophora)	
eldorado (labiata var e) (virginalis)	
elongata (alexandrae)	
epidendroides (luteola etc)	*
flava	
flavida (luteola etc)	
forbesii (vestalis)	
(Maelinia paradoxa)	S
fragrans (velutina etc)	S
" var Wageneri	SW
gardneriana (walkeriana etc)	
gaskelliana (labiata var g)	
" var alba	
gigas (labiata var warscewiczii etc)	*
gouldiana	
granulosa (Epidendrum granulosum)	VS SW pepper
N+ guatemalensis	C
gutatta (elatior) (sphenophora)	
(Epidendrum elatior)	VS SW medicinal
" var forma prinzii (amethystoglossa)	
" var alba	
" var leopoldii (Cattleya l.)	lilac

harrisoniana	F
N+ Hardyana	
intermedia (amabilis hort)	
(Epidendrum intermedium)	SW
iricolor	
jenmannii	SW
karwinski (citrina etc)	
labiata	VS
" sub var aurea	
" var dowiana (C. d)	S
" var eldorado (C. e)	
" var gaskelliana (C. g)	
" var lueddemanniana (C. l)	
(C. dawsonii)	S
" var mendelii (C. m)	
" var mossiae var atropurpurea,	
" var picta	S
" var percivaliana (C. p)	S
" var quadricolor (C. chocoensis etc)	S
" var rex (C. r)	
" sub var schoederae (C. s)	
" var triannaei	
" var warneri (C. w)	S
" var warszewiczii (C. gigas) (C. w)	
lawrenceana	VSW
leopoldii (guttata var l)	*
lobata	
loddigesii (aremburgii) (maritima)	
(vestalis) (Epidendrum l)	
" var amethystina	
lueddemanniana (dawsonii)	
(labiata var l) (speciosissima)	
luteola (epidendroides) (flavida)	
(meyeri) (modesta) (Epidendrum l)	I
maritima (loddegesii etc)	
majalis	
maxima (Epidendrum m)	
mendelii (lobiata var m)	S
meyeri (luteola etc)	
micrantha (Epidendrum boothii)	
mossiae (edithiana) (labiata var m etc)	SW garlic
" var fimbriata	VS

" var reineckiana (hort)	
mossiae coerulea	
nobilior (walkeriana etc)	
odoratissima (violacea etc)	
ovata (Epidendrum violaceum LODD)	
pendula (Odontoglossum pendulum)	
patinii (skinneri)	*
penduncularis	
percevaliana (labiata var p)	musty, soap
porphyroglossa	S SW
princeps (walkeriana etc)	*
pumila	*
purpurata	
quadricolor (labiata var q etc)	
regnellii (schilleriana)	
rex (labiata var r)	*
rubescens	
schilleriana (regnellii)	SW
" var superba	S
schroederae (labiata sub var s)	
skinneri (patinii) (Epidendrum huegelianum)	F I
speciosissima (lueddemanniana)	
sphenophora (guttata)	
superba (violacea) (Rchb. F)	*
superbiens	*
tibicinis	
trianaei (labiata var t)	
tuberosa (walkeriana etc)	
N+ victoria-regina	
velutina (alutacea) (a. var velutina)	SW spice
vestalis (forbesii etc)	
violacea (odoratissima) (superba)	
(Epidendrum v)	S spice
virginalis (labiata var v)	
walkeriana (bulbosa) (gardneriana)	
(nobilior) (princeps) (tuberosa)	VS
" var alba	
warneri (labiata var w)	S spice
warszewiczii (gigas) (labiata var w)	

Caularathon

bicornutum (Diacrium b etc)

bilamellatum (Diacrium b)

Centragenium

setaceum (Pelezia setacea) F

Cephalanthera

damasonium vanilla
falcata

Chamaeangis

odoratissima S
orientalis S D narcotic
rusicola VS

Chelonanthera

rochussini (Coelogyné r) S
speciosa (Coelogyné s)
sulphurea
(Coelogyné crookwittii sulphurea)

Chiloschista

lunifera

Chondrorhyncha

amazonica (Warscewiczella a)
(Zygotetalum amazonicum, lindeni) S
aromatica (Warscewiczella wendlandii)
(Zygotetalum a, wendlandii)
chestertoni VS
discolor (huntleya) (Warrea,
Warscewiczella, Zygotetalum d)
fimbriata (Stelis fimbriata)
flabelliformis (fragrans)
(Warscewiczella, cochlearis, f)
fragrans (flabelliformis etc)
lipscombiae (marginata etc)
marginata (huntleya) (lipscombiae)
(Warrea marginata)
(Zygotetalum fragrans)
wailesiana (Warrea, Warscewiczella w)
(Zygotetalum wailesianum)

Coelia

see Bothriochilus

Coeliopsis

hyacinthosma VS SW

Coeloglossum

asperata	licorice
viride (Gymnadenia, Habenaria, Orchis, Platanthera viridis)	
(Sarcochilus v)	F honey

Coelogyné

albsolutea	
asperata (lowii)	
barbata	I musk
borneensis	
brachyptera (parishii var. b.)	
chloroptera	
coronaria (Eria c etc)	
corrugata (nervosa)	
corymbosa	spice
cristata (speciosissimum)	I spice, hyacinth
crookwittii (sulphurea)	
cumingii	
dayana (quadrangularis)	
densiflora (massangeana etc)	musk
elata (holochila)	
fimbriata (broughtonia linearis)	musk
flaccida	XS musk
foerstermanni (kingii)	
fragrans	
graminifolia	
holochila (elata)	
huettneriana	VS musk
" var lactea (c. lactea)	
integra	
lactea (huettneriana var l)	
lamellata	S
lawrenceana	
lentiginosa	musk
lowii (asperata)	

macrobulbon (rochussenii etc)
 massangeana (densiflora) (tomentosa)
 merrillii F
 mooreana
 mossiae
 nervosa (corrugata) F
 nitida S lilac, hay
 ochracea
 odoratissima (cristata)
 ovalis (pilosissima)
 pandurata
 parishii (brachyptera)
 " var. brachyptera (C.b.)
 peltastes
 pilosissima (ovalis)
 plantaginea (rochussenii etc)
 quadrangularis (dayana)
 rhodeana
 rochussenii (macrobulbon) (plantaginea)
 (Chelonanthera r) VS vanilla
 sanderae
 sanderiana
 salmonicolor (speciosa var s) (?)
 schilleriana
 sparsa
 speciosa (Chelonanthera s) musk
 " var salmonicolor (C.s.)
 sulphurea (crookwitti)
 (Chelonanthera s)
 testacea F
 trinervis S
 tomentosa (densiflora etc) musk
 viscosa

Coilostylis
 emarginata (Epidendrum e etc)

Colax
 harrisonae (Bifrenaria h)
 jugosa (racemosa) (Adipe r etc)
 (Maxillaria j) (Zygotepetalum jugosum)

Comparettia
falcata

Coryanthes (all)
albertinae
alborosea
bergoldii
bicalcorata
biflora
boyi
bruchmulleri (*bungorothi*)
bungorothi (*bruchmulleri*)
elegantium (*wolfii*)
hunteriana
leucocorys S mint
macrantha (*Gongora m*) S
macracorys
maculata
nitida SW
parkeri
rodrigueza
speciosa
summerana
trifoliata
wolfii (*elegantium*)

Corymborchis
veratrifolia

Cottonia
championi (*Vanda bicaudata* etc)

Cranichis
lancasteri SW

Criosanthes
arietina (*Cypripedium arietinum*)

Cuitlauzina
pendula (*Odontoglossum pendulum*) lemon

Cycnoches

albidum (egertonianum var a)	
amesianum (cooperi) (pentadactylum)	
amparoanum (egertonianum var a)	
aureum (egertonianum var a)	
chlorochilon (ventricosum var c)	S
cooperi (amesianum) (pentadactylon)	
cucullata (loddegesii)	honey
densiflorum (egertonianum var d)	
dianae (egertonianum var d)	
egertonianum	
" varieties	
glandiferum (egertonianum var g)	
guttulatum (egertonianum var g)	
haagii (versicolor)	
lehmanni	
loddegesii (cucullata)	
mesianum	
pachydactylon (egertonianum var p)	
pauciflorum (egertonianum var p)	
pentadactylon (amesianum) (cooperi)	chocolate
peruvianum (egertonianum var p)	
powellii (egertonianum var p)	
rossianum (egertonianum var r)	
stelliferum (egertonianum var s)	
stenodactylon (egertonianum var s)	
ventricosum (egertonianum var v)	VS sunripe bananas
" var chlorochilon (Cycnoches c)	cinnamon
" var warscewiczii	
versicolor (haagii)	
warscewiczii (ventricosum var w)	

Cymbidiella

flabellata (perrieri) (Caloglossum,	
Cymbidium, Limodorum flabellatum)	vanilla
rhodochila (pardalina) (Cymbidium r)	

Cymbidium

acutum (dayanum etc)	
affine	
akame-sosin (rubrigemum)	
alborubens (dayanum etc)	

albuciflorum (madidum)	F
aliciae	F
aloifolium (finlaysonianum etc)	INV
aphyllum (Dendrobium pierardii)	
(Limodorum a)	INV
andersoni (Cyrtopodium a etc)	SW
arrogans	
aspidistrafolium (ensifolium etc)	
atropurpureum (finlaysonianum etc)	cocos oil
canaliculatum	SW
" var sparkesii(?)	
" forma aureoleum(?)	
chinense (ensifolium etc)	
chuen-lan	
chloranthum (pulchellum)	
(sanguinolentum) (variciferum)	F ? INV
cochleare (Cyperorchis cochlearis)	VS WIN V
cordigerum (Epidendrum atropurpureum)	
cucullata (Brassavola appendiculata etc)	
cuspidatum (ensifolium etc)	
cyperifolium (haematooides)	
(viridiflorum)	
(Limodorum longifolium)	S
dayanum (acutum) (alborubens)	
(shimaran) (simonsianum)	INV
dependens (Cirraea d)	
(Cattleya loddigesii, tristes)	
eburneum (syringodorum)	SW paper white narcissus, lilac
" var parishii	VS
ecristatum (ensifolium etc)	
ensifolium (aspidistrafolium)	
(chinense) (cuspidatum) (ecristatum)	
(esstrictum) (fragrans) (gyokuchin)	
(hoosai) (javanicum) (japonicum)	
(micans) (munroianum) (sinense)	
(xiphifolium)	S VSW lime, violets
esstrictum (ensifolium etc)	
faberi	musk, lime, jasmine
finlaysonianum (aloifolium)	
(atropurpureum) (pendulum)	
(tricolor) (wallichii)	MINV
flabellatum (Cymbidiella f etc)	

flabelliforme	
floribundum (pumilum)	
formosanum (tosyaensis)	
(Chondrorhyncha,	
Cochleanthes flabelliformis)	S
forrestii	
fragrans (ensifolium etc)	
gibsoni (lancifolium)	
giganteum LDL.f (Iridorchis gigantea)	F
" var lowianum (lowianum)	IINV
glaucum (Dichea glauca etc)	C
goeringii (China) (virescens LDL)	SW I floral
gracillimum (piyanon)	
grandiflorum (hookerianum)	
gyochin (gyokuchin)	(!)
gyokuchin (ensifolium) (gyochin)(soshin)	S
haematoides (cyperifolium etc)	
(Cyperorchis h)	
hookerianum (grandiflorum)	
hoosai (ensifolium etc)	
iridifolium (albuciflorum) (madidum)	C
kanran (linearsepalum) (purpurea-hiamale)	lemon peel
japonicum (ensifolium etc)	
javanicum (ensifolium etc)	
lancifolium (gibsonii)	
linearsepalum (kanran etc)	
lowianum (giganteum var lowianum)	
madidum (albuciflorum) (iridiflorum)	IINV
mastersii (micromeron) Cyperorchis m)	SW almonds
micans (ensifolium etc)	
micromeron (mastersii etc)	INV
moschatum (Dendrobium m)	
munroianum (ensifolium etc)	SWINV
muricatum (Dicheae muricata)	
niveo-marginatum	INV
nodosum (Brassavola nodosa etc)	
oiwakensis	
parishii (eburneum var p)	
pendulum (finlaysonianum etc)	
perrieri (Cymbidiella flabellata)	
pianon (tortisepalum)	
piyoran (gracillimum etc)	

polyphyllum (Epidendrum p)	
pulchellum (chloranthum)	
pumilum (floribundum)	C
purpurea-hiemale (kanran etc)	
qiubeiense	
rhodochilum (Cymbidiella rhodochila)	
rubrigemum (akeme-sosin)	honey
sanguineum (chloranthum)	
sanguinolentum (chloranthum)	
soshin	
shimaran (dayanum etc)	
simonsianum (dayanum etc)	
sinense (ensifolium etc)	
soshin (gyokuchin etc)	
suave	SW
suavissimum	INV
subulatum (Trichopilia subulata etc)	
syringodorum (eburneum)	
tortisepalum (pianon)	
tosyaensis (formosanum)	
tracyanum	S (in cult) peach
tricolor (finlaysonianum etc)	INV
tryptera (Laelia t etc)	
tsukenensis	
unnenduisesus	
variciferum (chloranthum)	lemon peel INV
violaceum (Cattleya violaceum HBK)	
virescens LDL (goeringii)vanilla	
viridiflorum (cyperifolium etc)	
wallichii (finlaysonianum etc)	
xiphifolium (ensifolium etc)	

Cynorkis

uniflora (Gymnadenia u)

Cyperorchis

babae	S SW
haematoides (Cymbidium h)	
mastersii (Cymbidium m etc)	SW almonds

Cypripedium

acaule (humile)

watermelon

alternifolius (calceolus etc)	
arietinum (Criosanthes arietina)	
calceolus (alternifolius) (marianus)	
(Calceolus a etc)	VS musk
" var flavescens (flavescens)	
" var parviflorum (parviflorum)	
" var pubescens (pubescens)	
" var vegonum (vegonum)	
candidum	F
fasciculatum	
flavescens (calceolus var f)	
himalaicum	S
humile (acaule etc)	
marianus (calceolus etc)	
montanum	SW
parviflorum (calceolus var p)	rose, musty
pubescens (calceolus var p)	SW rose, musty
vegonum (calceolus var v)	

Cyrtopodium

andersonii	
palmifrons	

Cyrtorchis

arcuata (ssp variabilis)	
(Angraceum arcuatum)	
(Listrostachys arcuata)	VS SW E N
" ssp variabilis	
" ringens	clover
brownii	
chailluana (Angraceum chailluanum)	
(Listrostachys chailluena)	S
injolaensis	
monteirae (Listrostachys m)	
praetermissa	S lily of the valley
variabilis	SW E

Dendrobium

acuminatum (Epigeneium a etc)	
adae (ancoreanum) S delicious	
aduncum	
aemulum SW musk	

aggregatum (lindleyi) VS SW honey F
" var jenkinsii
agrostophyllum SW
albo-sanguineum S
alboviride (scabringue etc)
album HK (Maxillaria alba) F
amabile (thyrsiflorum etc)
amethystoglossum
amoenum (aphyllum) (egertoniae) (mesochlorum) violets
anceps F
ancoreanum (adae)
andersonii (draconis etc)
anosmum (leucorhodum) (macranthum) (macrophyllum LDL) (scortechinii) (superbum)
(superbum var anosmum) XS I raspberries, rhubarb
antelope (minax) (ruppianum etc)
antennatum
" var d' albertisii (D. d')
aphrodite (nodatum) del
aphyllum (amoenum)
arachnites (Aeranthes a)
ashworthiae (atroviolaceum)
atroclydes (heterocarpum etc)
atroviolaceum (ashworthiae) (forbesii)
augustae-victoriae (lineale etc)
aurantiacum (chryseum)
aureum (heterocarpum etc)
bancroftianum (speciosum etc)
beckleri (schoeninum) del cinnamon
bellatulum
bensoniae (signatum) S
bicaudatum (ruppianum etc)
bracteosum
brisbanense (gracilicaula etc)
brymerianum VS
burdigei (ruppianum etc)
calamiforme (teretifolium)
cambridgeanum (ochreatum)
calceolaria (moschatum etc)
candidum (spathaceum) F
canaliculatum(tattorianum) SW
cariniferum (williamsonii var wattii)
carinum (crumenatum etc)

catenatum (monile etc)
chrysanthum (paxtoni LDL) VS
chryseum (aurantiacum) S
chrysotis (hookerianum)
chrysotoxum (suavissimum) S SW hawthorn
cobbianum S
coelogyne (Epigeneium c)
coerulescens (nobile etc) S
cogniauxianum (lineale etc)
crassinode (pendulum)
crepidatum (lawanum) (roseum)
" var assamicum
cretaceum
cruentum F
crumenatum (carinum) (Angraceum c) (Callista crumenata) (Onychium c) S I
crystallinum VS
cucullatum (pierardii)
cucumberinum F
cymbidioides (Epigeneium c etc)
d'albertisii (antennatum var d')
dalhousianum (pulchellum ROXB)
dammerboeri (strebloceres)
N+ delicatum S I
densiflorum (schroederi) del
devonianum (pictum)
discolor (undulatum) honey
dixanthum
draconis (andersoni) (eberneum) S tangerine
eburneum (draconis etc)
egertoniae (amoenum ROXB etc)
engae SW
falconeri (wardianum WARN var assamicum)
falcorostrum VS SW orange blossoms
fimbriata LDL (macraii) (plicatile) (Flickeringera fimbriata)
fimbriatum HK (paxtoni)
" var oculatum HK (oculatum hort)
findlayanum (Callista findlayana)
finisterrae F
flaviflorum
fleckeri S spice, musk
flexuosum (longicornu etc)
foeniseccii (Bulbophyllum tripetaloides etc)

forbesii (atroviolaceum etc) S honey
formosum SW
fredianum (longicornu etc)
friedericksonianum S
fuscatum (gibsoni) S
fusiforme (ruppianum etc) SW
gibsoni (fuscatum)
glumaceum sweet hay
gracilicaule (brisbanense) (macropis sub s g) S spice
gracilicaule var howeanum
 N+ gracillimum
hanburyanum (lituiflorum)
haniffi (tortile) S
harrisoniae (Bifrenaria h etc)
harveyanum honey
hedyosmum (scabrlingue etc)
hellwigeanum (nobile etc)
henshallii (transparens)
heterocarpum (attractodes) (aureum) (rhombeum) (Callista h) I primrose, violets
hilderbrandii
hilli FVM (Sarcochilus h) (Thrixspermum h)
hilli HKF (speciosum var h)
hirsutum (longicornu etc)
hookerianum (chrysotis)
imperatrix (lineale etc)
infundibulum
japonicum (monile etc)
javanicum (Eria j etc)
jenkinsii (aggregatum var j)
johannis S
johnsoniae (macFarlanei) (monodon) (niveum)
jonesii (ruppianum etc)
kingianum SW
lawanum (crepidatum etc)
laciniosum
latuifolium
leonis S vanilla
leucorrhodum (anosmum etc)
lindleyanum (nobile etc)
lindleyi (aggregatum)
lineale (augustae-victoriae) (cogniauxianum) (imperatrix) (veratrifolium)
linguaeforme (linguiforme)

pierardii (aphyllum) (cucullatum) (Cymbidium aphyllum)
(Limodorum aphyllum) (Pierardia bicolor)
plicatile (fimbriatum LDL etc)
polyphlebium (rhodoptergium) SW
priongorense
primulinum (nobile var pallidiforum) VS cowslip
pulchellum LODD (loddigesii etc)
pulchellum ROXB (dalhousianum) musk
racemosum
refractum (revolutum etc)
regium
rennellii
revolutum (refractum) (tonkinense)
rhodoptergium (polyphlebium)
rhodostictum (madonnae)
rhombeum (heterocarpum etc)
roseum (crepidatum etc)
rigidum (mutabile)
ruckeri
ruppianum (bicaudatum) (burdigei) (fusiforme) (jonesii) (minax etc) S
sarmentosum
satyrioides (Ionopsis s etc)
scabriligne (alboviride) (hedyosum) S SW jasmine, wallflower, honeysuckle
schoeninum (beckleri)
schroederi (densiflorum)
schuetzei
scopa
scortechinii (anosmum etc)
seidelianum (loddigesii etc)
senile S lemon
signatum (bensoniae)
spathaceum (candidum)
speciosum (bancroftianum) VS SW
" var hillii HKF (D. h.)
spectabile F
strebloceras (dammerboeri)
striolatum (milligani) (schoeninum) honey
suavissimum (chrysotoxum)
superbum (anosmum etc) S grapes
" var dearei
" var huttonii
" var white knight

tangerinum
tattonianum (canaliculatum)
teretifolium (calamiforme)
testiculatum (Ionopsis satyrioides etc)
tetrogonum SW vanilla
thyrsiflorum (amabile) (Callista amabilis)
tonkinense (revolutum etc)
tortile (haniffii)
transparens (henshallii) VS del
trigonopsis (velutinum) F
tripetaloides (bulbophyllum t etc)
trochlianum
undulatum (discolor)
unicum (arachnites) S SW crayons, tangerines
velutinum (trigonopsis)
veratrifolium (lineale etc)
wallichianum (nobile etc)
wardianum (album WMS) (falconeri var wardianum)
" var assamicum (falconeri)
williamsonii SW
" var wattii (cariniferum)
xanthophlebium (marginatum)

Dendrochilum
arachnites (unicum) cinnamon
aurantiacum S
bicallosum
cobbianum (Acoridium c) (Platyclinis cobbiana) VS
filiforme (Platyclinis filiformis)
glumaceum (Acoridium g) (Platyclinis g) SW vanilla, balsam
latifolium (Acordium l) (Platyclinis latifolia)
longifolium (Acordium l) (Platyclinis longifolia)
uncatum (Acordium u) (Platyclinis uncata)
unicum (arachnites)

Dendrolirium
hyacinthoides (Eria h etc)
javanica (Eria j)

Dendrophylax
funalis (Aeranthes f)(Polyrrhiza f etc)
lindeni (Polyrrhiza l etc)

Deppia
mexicana

Desmotrichum
cymbidioides (*Epigeneium c*)
fimbriatum (*Flickingeria fimbriata*)

Diacrium
bicornutum (*Caularathon*, *Epidendrum b*)
bilamellatum (*Caularathon b*)

Diaphananthe
bidens (*Limodorum*, *Listrostachys b*)
fragrantissima F
pellucida (*Angraecum*, *Listrostachys p*) spice, unpleasant ?
stolzii SW del
vandaeformis (*vandiformis*) (*Listrostachys v*)

Dichaea
(*Dichaeopsis*) *glauca* (*wildenowiana*) (*Cymbidium*, *Epidendrum glaucum*) (*Epithecia glauca*)
muricata (*latifolia*) (*verrucosa*) (*Cymbidium muricatum*)

Didothion
clavatum (*Epidendrum c*)

Dimorphorchis
lowii (*Arachnis l*) (basal flower) S E
rossii (yellow-orange flower only) S fruit

Dinema
paleacea (*Epidendrum boothii*)
polybulbon (*Epidendrum p*)

Diploprora
championi (*Cottonia c*) (*Luisia*, *Vanda bicaudata*)

Dipodium
paludosum SW

Disa

barellii (uniflora etc)
caulescens vanilla
cooperi S cloves
crassicornis (macrantha) (megaceras) SW
culveri (lacta)
graminifolia (Herschelia g etc)
grandiflora (uniflora etc)
lacta (culveri)
macrantha (crassicornis etc)
megaceras (crassicornis etc)
nervosa
purpurescens (Herschelia p)
orrecta (zeyheri) spice
uniflora (barellii) (grandiflora)
zeyheri

Diuris

alba S
palustris F spice
punctata var albo-violacea
venosa

Domingoa

hymenodes (Epidendrum broughtonioides, haematochilum)

Dracula

bella F Chestertonii mushrooms

Dressleria

(all ?)
dilecta
" var suave
eburnea XS
severiniana

Dryadella (Masdevallia)

edwallii anise, pungent

Drymonanthus

minutas
nutile vanilla

Dyakia

hendersonianum (Ascocentrum, Saccolabium h)

Earina

autumnalis
suaveolens

Encyclia (Encyclium) * (Epidendrum) #

acicularis (bractescens etc)
aclandiae (Cattleya a) #
adenocaula (nemoralis)
affinis (Epidendrum affine) * #
alata (belizensis)
alboxanthine *
allemanii
allemenoides
andrichii F#
ambiguum (alata etc) S
aptorima * #
aromatica * #
atropurpureum
atrорубенс (seligera) #
albo-purpureum vanilla
alboxanthina VS
bahiensis (fowlie)
belizensis (alata etc)
bractescens (acicularis) * #
brassavolae F SW E
capartianum (godseffianum) SW
caximboensis
chapadensis
chloroleua
chondyllobulbon S
ciliare #
citrina (Cattleya c) anise
chimborazoensis F medical
confusa F
cordigera (Epidendrum atropurpureum) S spice
" var alba XS
cucullata (Brassavola c)

cycnóstalis (stamfordianum) #
dichroma (jenischiana) # F
diota #
erubescens (Artorima)
euosmum (patens etc)
falcata SW vanilla N
fausta
fowliei (bahiensis) tea-like
fragrans S honey, vanilla
fuscata I
gallopavina tea-like
ghiesbreghtiana del
godseffianum (capartianum)
goyazensis F#
gracilis
hanburyi
hodgeanum #
ionosma #
jenischiana (dichroma)
kennedyi D
lancifolia spice
longifolia
lutzenbergerii
mariae #
megalantha S#
microbulbon unforgettable#
nematocaulon (Epidendrum xiphères) #
nemoralis (adenocaulis)
oestlundii
odoratissima (patens etc) S spice#
oncidoides (vellozoana) # S
osmantha XS
pantherii
patens (eosmum) (odoratissima) XS spice
pedra-azulensis #
pentotis #
phoenicea milk chocolate#
plicata chocolate
" var alba #
prismatocarpa F#
pyriformis #
radiata VS, spice

randii
rufa
schmidtii F#
selligera
stacyi
stamfordianum (*cycnostalis*) #
stellata SW honey#
tampensis
triflorum Del lemon
tripunctata #
varicosa #
vellozoana (*oncidoides*)
vespa #, vanilla
virens #
viridiflora
widgrenii

Epidendrum

duboisianum (atropurpureum etc)
eburneum (leucocardium)
elatior (Cattleya guttata)
elatum (Encyclia elata)
elongatum (anceps) (secundum etc)
endresii (Oerstedella e)
ensifolium (Cymbidium e)
erubescens (Encyclia e) (Artorima e) VS
falcatum (parkinsonianum etc) jasmin, lilies, narcissus
feddianum (vespa etc)
filomangi
flavidum (imperator etc)
flos-aeris (Arachnanthe f)
formosum (alatum etc)
fragrans (aemulum etc) (Anacheilon f) XS I
 " var (megalanthum) (pentotis)
fucatum (affine A.RICH) F
fuscatum
ghiesbreghtianum
glaucum (Dichaea g)
glumaceum (Aulizeum g)
glutinosum (odoratissima etc)
godseffianum (osmanthum etc)
gracile (Encyclia gracilis)
granulosum (Cattleya granulosa)
guatemalense (oncidioides)
haematochilum (broughtonioides etc)
hanburyi (selligerum etc)
heterodorum F SW
hodgeanum (altissimum) (Encyclia altissima)
hoffmanni (ionophlebium etc)
huebneri evening lily
huegelianum (Cattleya skinneri)
hymenodes (broughtonioides etc)
ilense pumpkin
imperator (flavidum) (leucochilum)
incumbens (aromaticum etc)
indivisum
intermedium (Cattleya intermedia)
inversum
ionophlebium (chocaoense) (hoffmanni) (pachycarpum) S
ionosmum (Encyclia ionosma) violets

ocranthum (virens etc)
odoratissimum (glutinosum) (Encyclia odoratissima, patens) VS SW
odoratum (Aerides o)
oncidiooides (guatemalense) (Encyclia o) F
 " var mooreanum (Epidendrum mooreanum)
osmanthum (cappartianum) (godseffianum) (Encyclia osmantha) VS
ovulum (microbulbon etc)
pachycarpum (ionophlebium etc)
pachysepalm (vespa etc)
paleaceum (boothii etc)
pamplonense
paniculatum (isthmi) (piliferum) (reflexum) (resectum) (turiavae)
parkinsonianum (aloifolium) (falcatum) (lactiflorum)
patens
pentotis (beyrodtianum) (confusum) (fragrans var megalanthum) (Encyclia p) S
phoeniceum (oblongata) (Encyclia phoenicea)
phymatoglossum (varicosum etc)
piliferum (paniculatum etc)
plicatum (Encyclia plicata) VS chocolate
polyanthum tea, cowslips
polybulbon (Bulbophyllum occidentale) (Dinema p)
polyphyllum (Cymbidium p) (Cyrtopodium andersoni etc)
prismatocarpum (uro-skinneri hort) (Encyclia prismatocarpa)
punctatum (Cyrtopodium p)
purum
pyriforme (Encyclia pyriformis)
quadratum (varicosum etc)
radiatum (marginatum LK) VS
radlkoferianum (volutum)
raniferum (cristatum)
reflexum (paniculatum etc)
ramirezii (varicosum etc)
resectum (varicosum etc)
rhabdobulbon (vespa etc)
rhopalobulbon (vespa etc)
sarcoglossum (boothii etc)
satyrioides (Ionopis s etc)
sceptrum
schumannianum
schweinfurthianum
secundum (elongatum etc)
selligerum (atrorubens) (diotum) (hanburyi) (insidiosum)

(violodora) (Encyclia diota, selligera) tuberose
spruceanum (nocturnum etc)
stamfordianum (cycnostalix) S violets
stellatum (Encyclia stellata) S
subpatens (moyobambae etc)
superbum (Cattleya violacea)
tampense (Encyclia tampensis) SW honey
tigrinum
tricolor
tridens (nocturnum etc)
tripterum (Bothriochilus, Coelia triptera)
turielvae (paniculatum etc)
umbellatum (diforme etc)
uro-skinneri hort (prismatocarpum) varicosum (chiriquense) (lieobulbon)
(lunaeanum) (phyamatoglossum) (quadratum) (ramirezii) (resectum) (Encyclia varicosa)
variegatum (Oncidium v) SW
variegatum HK (vespa etc)
" var virens
verrucosum (Oerstedella myrianthum)
" var myrianthum
vespa (christi) (coriaceum)(crassilabium) (feddianum)(leopardianum) (longipes)
(pachysepalum) (rhabdobulbon) (rhapalobulbon) (variegatum HK var virens)
viscidum (ciliare etc)
violaceum RCH.F. (Cattleya violacea) S
violaceum LODD (Cattleya ovata, v)
violodora (selligerum etc)
virens (ochranthum) (wagneri) (Encyclia v)
viridiflorum (Encyclia viridiflora)
volutum (radlkoferianum)
wagneri (virens etc)
walkerianum (Cattleya w)
wallisii SW honey, musk
xipheres (Encyclia nematocaulon)

Epigeneium

(Katherina) acuminatum (Dendrobium a) (Katherina acuminata) (Sarcopodium a)
coelogynne (Dendrobium, Sarcopodium c) XS
cymbidioides (Dendrobium c) (Desmotrichum c) (Sarcopodium c) lemon

Epipactis see Goodyera

Epipogium (Epipogum) aphyllum bananas?

Epistephium williamsii

Epithecia glauca (Dichea g)

Eria
autumnalis
barbata
convallarioides (spicata) (Octomeria c) F
coronaria (cylindropoda) (suavis) (Coelogyne, Trichosma c, s)
endymion (hyacinthoides etc)
fragrans
hyacinthoides (endymion) (Dendrolirium h) hyacinth
javanica (rugosa) (stellata)(striolata) (vaginata)
(Dendrobirium j) (Tainia stellata) SW
micronata
merrellii F
myristicaeformis SW
pannea vanilla
rugosa (javanica etc)
spicata (convallarioides) (Octomeria c,s) (Pinalia alba) S
stellata (javanica etc)
striolata (javanica etc)
suavis (coronaria etc)
vaginata (javanica etc)
vittata S SW pungent

Eriopsis
biloba (schomburgkii) (Pseudoeriopsis s)
rutidobulbon

Erycina echinata grass

Esmeralda
cathcartii (Arachnis c etc)
clarkei
sanderiana (Euanthe, Vanda s)

Euanthe

sanderiana (Esmeralda, Vanda s)

Eulophia (Lissochilus)

alta (woodfordii) (Limodorum altum)

bella (Lissochilus b) (milanjianus) del

burkei (nuda)

cristata (purpurata etc)

epidendroides (virens) (Limodorum v) (Limodorum, Serapias e)

ensiformis (stricta etc)

exalta (stricta etc)

guineensis

longibracteata (purpurata)

horsfallii

milanjanus (bella etc)

murryanum (Neogardneria m etc)

nuda (burkei)

petersii (schimperiana)

purpurata (cristata) (longibracteata)(Limodorum cristatum)

(Lissochilus purpuratus)

quartiniana del

rosea (schimperiana) (petersii)(Lissochilus roseus)

stricta (ensiformis) (exaltata) (warbungiana)

virens (epidendroides etc)

warbungiana (stricta etc)

woodfordii (alta etc)

Eulophiella

elizabethae

hamelinii (roempleriana etc)

peetersiana (roempleriana etc)

roempleriana (hamelinii) (peetersiana) (Grammatophyllum r)

stricta (Bletia s)

Eurychone

galeandrae del

rothschildiana SW

Evota

harveyana soap, pleasant

Fissipes
acaulis (Cypripedium acaule, humile)

Flickingeria
fimbriata (Dendrobium f etc) (Desmotrichum fimbriatum)

Galeandra
batemani (bauri etc)
bauri (batemani) (cristata)
beyrichii del
cristata (bauri etc)
devoniana
pubicentrum del

Galearis (Galeorchis)
spectabilis (Orchis s)

Galeottia
see Mendonsella

Gastrochilus
(Saccolabium)
acutifolia
bellinis INV N+
bellinus-bigibbus
bigibbus
calceolaris (Saccolabium calceolare) F
curvifolium (Ascocentrum c etc)
dasypogon S
platycalcaratus
speciosus (Aerides maculosum etc)

Gastrodia
sessamoides cinnamon

Genoplesium
fimbriatum S lemon

Geodorum
attenatum (candidum)
candidum (attenatum)

Geodorum dilatatum (purpureum etc)
purpureum (dilatatum) (*Limodorum*, *Malaxis nutans*)

Gomesa

(all species)

" var purpurea

crispa (*Odontoglossum crispulum*) primrose
 (Rodriguezia c)

densiflora (*recurva* etc)

foliosa (Rodriguezia f)

" var luteola

planifolia (*Odontoglossum planifolium*)

(Rodriguezia p)

recurva (*densiflora*)

(*Odontoglossum recurvum*) del

(Rodriguezia r)

scandens (*glaziovii*)

sessilis

theodorea (*Hellerorchis*, *Theodorea gomezoides*)

Gongora

armeniaca (Acropera a, cornuta)	VS apricots
aromatica	
atropurpurea (Acropera a)	
boothiana hort (maculata etc)	
bufonia (irrorata)	
cassidea (Acropera batemannii)	
charonitis	
donkelaariana (truncata)	
ecornuta	
galeata (Acropera, Cirraea loddigesii) (Maxillaria g)	
grossa	
hirtzii	
irrorata (bufonia)	
leucohila (maculata etc)	
macrantha (Coryanthes m)	
maculata (boothiana hort) (leucohila) (nigrita) (odoratissima) (unicolor)	chocolate, spice
nigrita (maculata etc)	

odoratissima (maculata etc)	
portentosa	
powellii	
quinquenervis	
quintuplinervia	
sanderiana	
scaphephorus	
tricolor	XS spice
tridentata	
truncata (donkelaariana)	
unicolor (maculata etc)	
 Goodyera	
atrорubens (Epipactis a) vanilla	
discolor (Haemaria d etc)	
repens	
 Govenia	
superba (fasciata) (lagenophora)	
(platyglossa) (strictoglossa)	
(sulphurea) (Maxillaria s)	XS
 Grammangis	
ellisii (Grammatophyllum e)	VS
 Grammatophyllum	
ellisii (Grammangis e)	
fastuosum (speciosum etc)	
giganteum (speciosum etc)	
grandiflorum hort (measuresianum)	
macranthum (speciosum etc)	
measuresianum (grandiflorum hort)	FI
roempleriana (Eulophiella r etc)	
sanderianum hort (speciosum etc)	
speciosum (fastuosum) (giganteum)	
(macranthum) (sanderianum hort)	
(Pattonia macrantha)	I
 Gymnadenia	
conopsea	S SW spice
" var densiflora	S cloves
odoratissima (suavolens) (Orchis o)	XS

uniflora (*Cynorkis* u)
viride (*Coeloglossum* v)

Gynoglottis cymbidioides

Habenaria
achalensis
aitchesoni (brachyphylla)
anguiceps
arcuata (Platanthera a)

Habenaria arietina (pectinata LDL)	
bakeriana (Platanthera b)	
brachyphyllum (aitchesoni)	
ceratopetala	
chlorantha (Platanthera montana etc)	
ciliaris	
cornuta	
davidii	
decorata	
delavayi (yunnanensis)	
digitalis (trinervia)	
ensifolia (pectinata SMITH)	
fimbriata (Platanthera f)	lavender
galpinii	
glaucifolia	
gracilis (Platanthera stricta)	
henryi (Platanthera h)	
hookeri (Platanthera h)	
hyperborea (Platanthera h)	
incisa(Plantanthera I)	
integra (Plantanthera I)	E
leucophaea (Plantanthera I)	
linearifolia (sagittifera)	
macrantha	
macroceratitis (quinqueseta)	
mairei	
orbiculata (Platanthera o)	
pachycaulon	
pectinata SMITH (ensifolia) (Orchis p)	
pectinata LDL (arietina)	

peramoena (Platanthera p)	
praestans	
psycodes (Platanthera p) calico	
quinqueseta (macroceratitis)	
repens	heavenly N
rhodochila	
sagittifera (linearifolia)	
splendens	
stenantha (var auriculata) (Platanthera finetiana)	
susannae (Pecteilis s etc)	
trinervia	
uliginosa	
unalascencas (Piperia u)	
viridis (Coeloglossum viride etc)	
yunnanensis (delavayi)	

Haemaria
 `discolor (Goodyera, Ludisia d etc)` SW spice

Haraella odorata (retrocalla)

Helcia sanguinolenta (Trichopilia s)

Hellerorchis gomezioides (Gomesa theodorea) (Theodorea g.)

Herminium
monorchis honey

Herschelia
 graminifolia (*coelestis*) (*Disa g*) VS
 purpureascens (*Disa p*) VS

Hintonella mexicana

Holcoglossum amesiana (Vanda amesiana)

Holothrix

(Scapularia)
bucculina
lindleyana
monotris
orthoceras
saccidium
suplicpteriana

Houletia
brocklehurstiana
chrysantha
lansbergii (tigrina)
odoratissima
picta
tigrina (lansbergii)

S

Huntleya
burtii (meleagris etc)
cerinum (Zygopetalum c)
discolor (Chondrorhyncha d etc)

Huntleya marginata hort (Chondrorhyncha m etc)
meleagris (burtii) (wallisii)
(Batemania, Zygopetalum b)
(Zygopetalum meleagris)
violacea (Batemania, Bollea,
Zygopetalum violaceum)
wallisii (meleagris etc)

Hygrochilus
parishii (Vanda p)
Ionopsis
satyrioides (teres) (testiculata)
Dendrobium, Epidendrum s violetsIpsea
speciosa
Iridorchis
gigantea (Cymbidium giganteum)

Jumellea
angustifolia
amplifolia
arachnanthe S

arborescens	
comorensis	
confusa	F
densifoliata	
filicornoides	S violets E
fragrans (Angraecum, Aeranthus f)	
gracilipes	SW
ibidyana	
major	N
maxillarioides	
rector	
rigida	VS
sagittatta	
teretifolia	

Katherina

see Epigeneium

Koellensteinia

graminea (kellneriana) (Maxillaria g)	
tricolor (Zygodontum t)	

Lacaena

bicolor	VS
---------	----

Laelia

(Cattleya *) *

acuminata (rubescens etc)	*
albida (discolor)	primrose*
anceps (barkeriana)	I*
autumnalis (gouldiana)	SW pungent, spice
barkeriana (anceps)	
boothiana (lobata etc)	
briegeri	
casperiana (purpurata etc)	
crineta	*
crispa (rupestris)	
digbyana (Rhyncholaelia d)	
discolor (albida)	
duveenii	S*
flava (fulva)	*
furfuracea	

glauca (Rhyncholaelia g)	*
gouldiana (autumnalis)	INV
grandiflora (speciosa etc)	
grandis	I
" var tenebrosa (Laelia t)	
humboldtii	
jonqueana	
lasioglossa	*
lobata (boothiana) (riverii)	
lyonsii (Schomburgkia l)	*
majalis (speciosa etc)	*
peduncularis (rubescens etc)	
primaveralis	musk*
pumila	*
purpurata (casperiana) (wyattiana)	XS
" var carnea	licorice, anise
" var werckhauseri	S spice, anise?
" var semi-alba	
riverii (lobata etc)	*
rubescens (acuminata) (penduncularis)	
(violacea)	wintergreen
rupestris (crispa)	
sincorana	
speciosa (grandiflora) (majalis)	
(Cattleya m etc)	*
superbiens (Schomburgkia s)	
tenebrosa (grandis var t etc)	*
tibicinis	INV
triptera (Cymbidium t)	
undulata	I
violacea (rubescens etc)	
virens	
wendlandii	
wyattiana (purpurata etc)	
xanthina	I

Laeliopsis
domingensis

Lemboglossum
bicotoniense (Odontoglossum b)
cervantesii (Odontoglossum c)

cordatum (*Odontoglossum c* etc)

Lenticara

hadweni (*Bifrenaria h*)

Leochilus

<i>crocodiliceps</i>	F
<i>labiatus</i>	F I coconut
<i>major</i>	
<i>oncidoides</i>	SW
<i>powellii</i>	
<i>retusa</i>	
<i>scriptus</i>	fruity

Leptotes

<i>bicolor</i> (<i>glaucophylla</i>) (<i>serrulata</i>)	
<i>unicolor</i>	S SW vanilla

Limodorum

<i>altum</i> (<i>Eulophia alta</i>)
<i>aphyllum</i> (<i>Dendrobium pierardii</i> etc)
<i>bidens</i> (<i>Diaphnanthe b</i> etc)
<i>callosum</i>
<i>cristatum</i> (<i>Eulophia purpurata</i>)
<i>distichum</i> (<i>Aeranthes distichus</i> etc)
<i>eburneum</i> (<i>Angraecum e</i> etc)
<i>epidendroides</i> (<i>virens</i>) (<i>Eulophia e</i> etc)
<i>falcatum</i> (<i>Neofinetia falcata</i>)
<i>flavum</i> (<i>Phaius flavus</i> etc)
<i>flos-aeris</i> (<i>Arachnis f</i> etc)
<i>funale</i> (<i>Aeranthes funalis</i> etc) (<i>Polyrrhiza funalis</i>)
<i>glaucophylla</i> (<i>bicolor</i>)
<i>imbricatum</i> (<i>Aeranthes distichus</i> etc)
<i>lindeni</i> (<i>Angraecum l</i>)
<i>nutans</i>
<i>purpureum</i> (<i>Geodorum p</i> etc)
<i>tankervilliae</i> (<i>Phaius t</i>)
<i>virens</i> (<i>epidendroides</i> etc)

Liparis

reflexa

Lissochilus

see Eulophia

Listrostachys

arcuata (Cyrtorchis a etc)
bidens (Diaphnanthe b etc)
caudata (Plectrelminthus caudatus etc)
chailluana (Cyrtorchis c etc)
monteirae (Cyrtorchis m)
pellucida (Diaphnanthe p)
vandaeformis (Diaphnanthe v)

Ludisia

discolor (furetii) (odorata) (Haemaria d etc)

Luisia

bicaudata (Diploprora championi)

Lycaste

(Maxillaria *) alba (virginalis etc)	cinnamon*
aromatica (consobrina)	
(Maxillaria a.c.)	VS I lemon, cloves
balsamea (cruenta) (Maxillaria b)	*
barringtoniae (Epidendrum b etc)	lemonN+
? bradeorum	* orange
brevispatha (candida)	fresh apples
? campbellii	
? candida (brevispatha)	*
chrysoptera (deppei etc)	
ciliata (fimbriata) (rossyi)	F N fresh apples
cinnabarina (denningiana)	N
citrina (harrisonae) (inodora)	
(Bifrenaria h)	
cochleata	*
consobrina (aromatica etc)	*
costata	XS*
crinita (micheliana)	F
crocea (fulvescens etc)	
cruenta (balsamea)	VS I cinnamon, lemon, cloves
denningiana (cinnabarina)	N*
deppei (chrysoptera) (leiantha)	
(Deppei mexicana) (Maxillaria d)	S peppermint, eucalyptus*

dowiana (macrophylla)	
dyeriana	INV?
fragrans (Ida f)	*
fimbriata (ciliata etc)	*
fulvescens (crocea) (peruviana)	*
(Maxillaria f)	*
gigantea (longipetala) (Maxillaria g)	
harrisonae (citrina etc)	
inodora (citrina etc)	
inodora hort (Bifrenaria fragrans etc)	*
lanipes (mesochlaena)	VS SW N honey*
? lasioglossa (macropogon)	*
leiantha (deppei etc)	
leucantha	SW heady
locusta	ripe apples*
longipetala (gigantea)	
longiscapa	E soap
longisepala (schilleriana)	*
macrophylla (dowiana)	
macropogon (lassioglossa)	
mesochlaena (lanipes)	
micheliana (crinita)	
oriuenta	
peruviana (fulvescens etc)	
powellii	VS
reichenbachii	
rossiana	
rossyi (ciliata etc)	*
schilleriana (longiscapa)	
? skinneri (virginalis etc)(Maxillaria s)	
skinneri	rosea
suaveolens	S cinnamon
N+ triophora	F
virginalis (alba) (skinneri)(Maxillaria v)	*
tetragona (Bifrenaria t etc)	XS

Lycomormium

squalidum S

Lyperanthus

forrestii VS
suaveolens S musk

Macradenia
(*Rhynchadenia*) lutescens (*Rhynchadenia cubensis*)

Macroplectrum
see Angraecum

Maelenia
(*Cattleya*) paradoxa (*Cattleya forbesii* etc)

Malaxis
caudata (Brassia c etc)
nutans (*Geodorum purpureum* etc)
palludosa cucumber
triangularis S peculiar

Malleola
penangiana (*Sacclobium penangianum*)

Marsupiara
iridifolia (*Maxillaria I*) F

Masdevallia
agaster
amanda I
attenuata
bella
caloptera S
caudata (*shuttleworthii*) unusual
chontalensis waterlilies
colossus
datura
davisii
estradae (*ludibunda*) SW citrus
falcago S lemon
gheisbreghtiana XS
glandulosa SW chocolate, cloves
guayanensis SW
gutierrezii
lehmannii
ludibunda (*estradae*)
mejiana I

ovalis	I
polysticta	VS I
sanctae-rosae	F
shuttleworthii (caudata)	
tovarensis	SW
Maxillaria	
acicularis	I
acutifolia (rufescens etc)	
alba (Dendrobium album HK)	F
amparoana (ringens etc)	
anatomorum (venusta etc)	
arachnites	
aromatica (Lycaste a)	
articulata (rufescens etc)	
atropurpurea (Bifrenaria a etc)	
balsamea (Lycaste cruenta etc)	
barringtoniae (ciliata LDL) (Lycaste b etc)	
boothii (Epidendrum b etc)	
brenesi (ringens etc)	
brevispatha (Lycaste b etc)	
callichroma (setigera etc)	
camaridii (Ornithidium album)	VS narcissus I
cerifera	
chlorantha	
ciliata LDL (barringtoniae etc)	
ciliata (R & P) (Lycaste c)	
citrina (xanthina) (Promenaea c etc)	
coccinea	
colleyi (Batemania c)	
concava (Xylobium foveatum)	
consobrina (Lycaste c)	F
costata (Lycaste c)	
crassifolia (gatunensis) (sessilis)	
crinita (Lycaste c)	
crocea	
densa	
deppei (Lycaste d etc)	
devauxiana	water melon
eburnea (grandiflora etc)	
flagellifera (steelii) (Scuticara f, s)	
fletcheriana	

foveata (stachyobiorium)(<i>Xylobium foveatum</i>)	
fucata (hubschii)	
fuerstenbergiana	
fulvescens (Lycaste f)	
fuscata (kreysigii) (leucocheile)(monoceras)	
galeata (Gongora g etc)	
gatunensis (crassifolia etc)	
gigantea (Lycaste g etc)	
glandulosa	
gracilis (punctata) (queirogana)	
graminea (Koelensteinia g)	
grandiflora (eburnea) (lehmanni)	
hedwigi	F egg-white
haematoglossum	F
harrisoniae (Bifrenaria h etc)	
hubschii (fucata)	
inaudita	F
irridifolia (Malleola I)	
jugosa (Colax, Zygopetalum jugosum)	
kalbreyeri (venusta etc)	
kreysigii (picta etc)	
lanipes (Lycaste l)	
lasioglossa (Lycaste l)	
lehmanni (grandiflora etc)	
leiantha (Lycaste l)	
lepidota (pertusa)	
leptosepala (setigera etc)	
leucocheile (picta etc)	
longisepala	
luteo-alba (luteo-grandiflora)	
(triloris)	S/F I
macrobulbon (Lycaste m)	
maleolens	coconut & moth balls
marginata (tricolor) (Lycaste t)	
monoceres (picta etc)	
neglecta (Ornithidium n etc)	
nigrescens	S
ochroleuca (splendens)	S SW M
palmifolia (<i>Xylobium palmifolium</i>)	
pertusa (lepidota)	
picta (fuscata) (kresigii)	SW
(leucocheile) (monoceras)	

(rupestris)	I
pubigera (Bifrenaria harrisoniae etc)	
pulla	
punctata (gracilis etc)	
queirogana (gracillis etc)	
racemosa (Adipa r etc)	
ramonensis	
ringens (amparoana) (brenesii)	F SW
rufescens (acutifolia) (articulata)	vanilla
rupestris (picta etc)	
sanderiana	SW
sessilis (crassifolia etc)	
setigera (callichroma) (leptosepala)	
seymouriana	lemon
skinneri (Lycaste s etc)	
spathacea (Bifrenaria harrisoniae)	
splendens (ochroleuca)	
stachyobiorum (foveata etc)	
steelii (flagellifera etc)	
superba (Govenia s etc)	
tenuifolia	XS coconut
tetragona (Bifrenaria t)	
tonsoriae	
tricolor (marginata etc)	
triloris (luteo-alba etc)	
turneri	
valenzuelana	spice
venusta (anatomorum) (kalbreyeri)	
virginalis (Lycaste v etc)	
warreana (warrea w)	
xanthina (citrina) (Promenaea c, x)	

Meiracyllium

gemma (wendlandii)	D cinnamon
trinasutum	cinnamon

Menadenium

labiosum (rostratum) Epidendrum l)	
(Zygosepalum rostratum)	SW

Mendonsella

(Galeottia) fimbriata

grandiflora (Batemania g)
(*Zygotepetalum grandiflorum*)

Microcoelia? guyoniana

Microtis

Miltonia		
(Miltoniopsis)(*)		N+
bluntii		
candida (Oncidium candidum RCHB.f)		
clowesii		
endresii (superba) (genus not determined)		
flavescens		gras
phalaenopsis		
regnellii		F*
roezlii		SW
schroederiana		
spectabilis		spic
superba (endresii)		*
vexillaria (Odontoglossum v)		F*
warszewiczii (Odontoglossum w etc)		F

Miltonioides hastilabium (Odontoglossum h etc)

Monachanthus
(Catasetum)
viridis (Catasetum barbatum etc)

Mormodes	
aromatica	vinegar
atropurpurea (hookeri etc)	
barbatum (hookeri etc)	
brachystachyum (buccinator etc)	
buccinator (brachystachyum) (flaveolum) (leucochilum) (wagnerianum)	spice
calceolatum	F spice
castroi	
colossus (macranthum) (powellii)	

(wendlandii)	
dasilvae	
flaveolum (buccinator etc)	
hookeri (atropurpureum) (barbatum)	
igneum	I
leucochilum (buccinator etc)	
luxatum (williamsii) (Catasetum I)	
macranthum (colossus etc)	
maculatum (pardina) pleasant	
ocanae	XS
pardina (maculatum)	
powellii (colossus etc)	
ralpheana	
sanguineoclastrum	
sinuata	spice, pungent
tuxtlensis	S SW jasmine
uncia	aromatic
wagnerianum (buccinator etc)	
wendlandii (colossus etc)	
williamsonii (luxatum etc)	

Myrmecophila
 (Laelia)
 (Schomburgkia) superbiens
 tibicinis

Myrobroma
 fragrans (*Vanilla planifolia*)

Mystacidium
 braybonae
 capense (filicornu) (longicornu) SW
 distichum (Angraecum d etc)
 gracile del N
 infundibulare (Angraecum l)
 sesquipedale (Angraecum s etc)
 venosum
 neippergia
 chrysantha (Acinita c)

Neobathiea
 filicornu

Neobenthamia		
gracilis (<i>Polystachya neobenthamia</i>)		SW
Neofinetia		
<i>falcata</i> (<i>Angraecum, Limodorum falcatum</i>)		
(Nipponorchis f) (Oeceoclades f)	XS N	jasmine, violets, vanilla, chocolate
Neogardneria		
binoti (<i>Zygopetalum b</i>)		
murrayana (<i>Eulophia, Zygopetalum murrayanum</i>)		
(Promenaea florida)		
Neolehmannia		
diforme (<i>Epidendrum d</i>)		
Neomoorea		
(Moorea) irrorata		
Nervilia		
adolphii		
chinensis	musk, cocoa	
crassiformis		
gassneri		
pectinata	S camphor	
Nervilia petrae		
staliana		
Nidema		
boothii (<i>Epidendrum b</i> etc)	SW	
Nigritella		
nigra	S vanilla	
Nipponorchis		
<i>falcata</i> (Neofinetia f etc)		
Notylia		
barkeri (<i>Tridachne virens</i>)	F	
panamensis		
pentachne	F	

Nyctosma
nocturna (Epidendrum n) S I N

Oeceoclades
(Eulophidium) falcata (Neofinetia f etc)
funalis (Aeranthes f etc)

Octadesmia
elata
montana (serratifolia)
montanum (Epidendrum m)

Octomeria
convallarioides (Eria c)
graminifolia
oxychila F
spicata

Odontoglossum
(Oncidium *) alexandrae (crispum etc)
anceps (maculatum)
andersonianum I
aspasia (Aspasia fragrans) F I D
angustatum (ramossissimum) F
baphicanthum (odoratum etc)
bictoniense (Cyrtochilum b)
(Lemboglossum b)
(Zygopetalum africanum) I
blandum
bluntii *
cariniferum (hastilabium etc)
cervantesii (membranaceum)
(Lemboglossum c) (Oncidium c)
cheiophorum *
citrosum (pendulum etc)
constrictum (sanderianum etc) hawthorn
cordatum (hookeri) (lueddemanni)
(Lemboglossum c) hawthorn
crispulum (Gomesa crista)
crispum (alexandrae) (edithae)
(warocqueanum) primrose

crocidipterum	hawthorn
edithae (crispum etc)	
edwardi (Cyrtochilum e. ?)	violets
egertoni (Osmoglossum e etc)	I
glonerianum (odoratum etc)	
gloriosum (odoratum etc)	
grande (williamsonianum)	
(Rossioglossum g)	
harryanum	*
hastilabium (cariniferum)	
(Miltonioides h)	musk
hookeri (cordatum etc)	
ionium	
ioplocon	*
insleayi (lawrenceanum)	
(Rossioglossum I)	F
laeve	
lindleyanum	
leudemanni (cordatum etc)	
maculatum (anceps)	F
membranaceum (cervantesii etc)	
nebulosum	
nobile (pescatorei)	
noculatum	F*
odoratum (baphicanthum) (glonerianum)	
(gloriosum)	
oerstedii	
pendulum (citrosum) (Cattleya p)	
(Cuitlauzina pendula)	
(Oncidium galeottianum)	lemon*
pescatorei (nobile)	
planifolium (Gomesa p)	
praestans	citric
pulchellum (Osmoglossum p)	SW hyacinth, lily of the valley
ramossissimum (angustatum)	
sanderianum (constrictum) (Oncidium c)	
schillerianum	*
tigrinum	
triumphans	
variegatum	
warocqueanum (crispum etc)	
warszewiczianum (Miltonia warszewiczii)	

williamsonianum (grande etc)

Oeonia		
<i>polystachya</i>		N
Oeoniella		
<i>integrum</i>		
<i>polystachys</i>	E	N
<i>unqustatum</i>		
Oerstedella		
<i>endresii</i> (<i>Epidendrum e</i>)		
<i>myrianthum</i> (<i>Epidendrum verrucosum</i>)		
Oncidium		
(<i>Odontoglossum</i> *)		
<i>albo-violaceum</i> (<i>incurvum</i>)		
<i>altissimum</i> (<i>luridum INV</i>)		
<i>andreaeanum</i>		
<i>auriferum</i>	F	
<i>aurisasinorum</i>	S	
<i>bahamense</i> (<i>Tolumnia b</i>)		
<i>barkeri</i> (<i>tigrinum</i> etc)		
<i>bicallosum</i>		
<i>brachiatum</i> (<i>Brassia verrucosa</i> etc)		
<i>calochilum</i>	roses, lemon	
<i>candidum</i> LDL (<i>Palumbina candida</i>)		
<i>candidum</i> RCHB.F (<i>Miltonia c</i>)		
<i>cardiochilum</i> (<i>osmatochilum</i>)	S	lilacs*
<i>cariniferum</i>		
<i>carthaginense</i>		
<i>caudatum</i> (<i>Brassia caudata</i>)		
<i>cavendishianum</i> (<i>pachyferum</i>)		
(<i>panduriferum</i>)		
<i>cervantesii</i> (<i>membranaecum</i>)		
<i>cheiophorum</i> (<i>dielseanum</i>)	VSW*	
<i>citrosmum</i>		
<i>clowesii</i> (<i>Brassia c</i>)		
<i>constrictum</i> (<i>Odontoglossum sanderianum</i>)		
<i>cornigerum</i>		
<i>crispum</i> (<i>grandiflora</i>)	F	SW musty, daffodils
<i>cucullatum</i> (<i>olivaceum</i>)		

" var nubigenum (nubigenum)	
dielsiarum (cheiophorum)	
dentatum (micropogon)	
divaricatum	musty
echinata (Baptistonia e)	
egertoni (Osmoglossum e etc)	I
enderianum	SW lilac
fuscatum (warscewiczii)	
(Miltonia warscewiczii)	
galeottianum	
(Odontoglossum pendulum etc)	
gardneri	
gireoudianum (Brassia g)	
grandiflora (crispum)	
gravesianum	
N+ haematochilum	*
hastilabium	
incurvum (albo-violaceum)	*
insleayi	
keilianum (Brassia keiliana)	
lanceanum	vanilla
lawrenceanum (Brassia lawrenceana)	
luridum INV (altissimum)	F
maculatum	mushrooms
marshallianum	F
membranaceum (cervantesii)	
micropogon (dentatum)	
nubigenum (cucullatum var n)	*
odoratum	
olivaceum (cucullatum)	
ornithorhynchum	XS lavender, vanilla, chocolate
osmatochilum (cardiochilum)	VS lilacs
osmoglossum (egertoni)	
pachyferum (cavendishianum)	
panduriferum (cavendishianum)	*
pescatorei	*
pendulum (galeottianum)	
praetextum	
ramosissimum	F
rigbyanum (sarcode)	
sarcode (rigbyanum)	F
schillerianum	*

schwambachii
tigrinum (barkeri) F roses
variegatum (Tolumnia v)
verrucosa (Brassia v)
vexillaria (Miltonia v)
warscewiczii (fuscatum etc) (Miltonia w)

Onychium
crumenatum (Dendrobium c)
japonicum (Dendrobium monile)

Ophrys
cernua (spiranthes c)
chesteri F SW
fuciflora F cyclamen
holosenica
muscifera (muscaria) (musciflora) musk

Orchis
carnea (Satyrum carneum)
 " var *odorata*
coriophora sub specs fragrans
falcata (Neofinetia f etc)
fuciflora cyclamen
incarnata (lanceolata)
lactea
lanceolata (incarnata)
militaris
morio S SW I
odoratissima (Gymnadenia o etc)
pallens (sulphura) S cloves
pectinata (Habanaria p)
psycodes
quinqueseta (Habenaria q)
spectabilis (Galearis, Galeorchis s)
sulphurea (pallens)
susanna (Pecteilis s)
ustulata
viridis (Coeloglossum v)

Ormostema

albiflora (*Dendrobium monile* etc)

Ornithidium

album (*Maxillaria camaridii*)
anceps (*neglectum* etc)
ceriferum (*Maxillaria cerifera*)
neglecta (*anceps*) (*Maxillaria n*)

Ornithocephalus

<i>inflexus</i>	F I
<i>myrticola</i>	lemon

Ornithochilus

diformis
fucus

Ornithophora

radicans (*Sigmatostalix r*)

Orxera

cornuta (*Aerides odoratum*)

Osmoglossum

<i>acuminatum</i> (<i>anceps</i>)	
(<i>Odontoglossum egertoni</i> etc)	
<i>pulchellum</i> (<i>Odontoglossum p</i>)	SW hyacinth, lily of the valley

Palumbina

candida (*Oncidium candidum*)

Paphiopedilum

<i>armeniaca</i>	F I daffodil
<i>delenatii</i>	F citrus, peppery
<i>emersonii</i>	chocolate, vanilla
<i>kolopakingii</i>	S honeysuckle
<i>malipoense</i>	S raspberries
<i>niveum</i>	I
<i>primulinum</i>	I
<i>schilleriana</i>	

Papilionanthe

teres (*Vanda t*)

Paraphalaenopsis	
denevei (<i>Phalaenopsis d</i>)	F
labukensis	cinnamon
laycockii (<i>Phalaenopsis l</i>)	crushed lemon-grass
serpentilingua (<i>Phalaenopsis s</i>)	

Parasarcochilus	
spathulatus	
weinthalii	

Pattonia	
macrantha (<i>Grammatophyllum speciosum</i>)	
sagarikii	

Pecteilis	
susannae (<i>Habenaria</i> , <i>Orchis</i> , <i>Platanthera s</i>)	

Pelatantheria	
cristata (<i>Cleisostoma cristatum</i>)	

Plexia	
setacea (<i>Centrogenium setaceum</i>)	F

Peristeria	
barkeri (<i>Acinita b</i>)	XS
elata	S
pendula (<i>lentiginosa</i>)	

Pescatorea	
cerina (<i>Zygopetalum c</i>)	XS
coronaria	
dayana (<i>Zygopetalum dayanum</i>)	VS
lehmanni (<i>Zygopetalum l</i>)	
violaceum	
wallisi	F lemon

Phaedrosanthus	
see <i>Epidendrum</i>	

Phaius (Phajus)

amboinensis (papuanus) (zollingeri)
(*Bletia* a)
bicolor (tankervilliae etc)
blumei (tankervilliae etc)
bracteosus (flavus etc)
callosus (hasseltii)
 (Limodorum callosum)
crispus (flavus etc)
flavus (bracteosus) (crispus)
 (flexuosus) (indigoferus)
 (maculatus) (platychilus)
 (*Bletia* woodfordii)
 (Limodorum flavum)
flexuosus (flavus etc)
grandifolius (tankervilliae etc)
hasseltii (callosus etc)
incarvillei (tankervilliae etc)
indigoferus (flavus etc)
maculatus (flavus etc)
papuanus (amboinensis etc)
platychilus (flavus etc)
tankervilliae (bicolor) (blumei)
 (grandifolius) (incarvillei)
 (wallichii) (*Bletia* t) (Limodorum t)
wallichii (tankervilliae etc)
woodfordii (*Bletia* w)
zollingeri (amboinensis etc)

Phalaenopsis

amabilis (New Guinea type) (aphrodite)	
amboinensis	S musk
aphrodite (amabilis)	
cornu-cervi (Polychilus c-c)	
(Polystylus c-c)	F
denevei (Paraphalaenopsis d)	
denisiana (fuscata)	
forbesii (viridis)	
fuscata (denisiana)	
gigantea	F SW
javanica (latisepala)	violets
kunstleri	
latisepala (javanica)	

<i>laycockii</i> (Paraphalaenopsis l)	crushed lemon-grass
<i>lowei</i>	
<i>lueddemanniana</i> (AKA hybrid P. Spica)	S
" var <i>heiroglypha</i>	
<i>mannii</i>	
<i>mariae</i>	F
<i>modesta</i>	S
<i>schilleriana</i>	S SW waxy I
" var <i>immaculata</i>	
" var <i>splendens</i>	
<i>serpentilingua</i> (Paraphalaenopsis s)	
<i>speciosa</i>	S SW D
" var <i>christiana</i>	
" var <i>imperatrix</i>	
" var <i>tetraspis</i>	
<i>spectabile</i>	
<i>stuartiana</i>	F coffee flowers
" varieties	
<i>sumatrana</i>	
" varieties	
<i>tetraspis</i>	
<i>violacea</i>	perfumed pomade
" var <i>murtoniana</i>	S lemon
<i>virides</i> (<i>forbesii</i>)	S I
<i>wilsonii</i>	
<i>Pholidota</i>	
<i>chinensis</i>	
<i>imbricata</i> musk	
<i>Phragmipedium</i>	
<i>lemoineianum</i>	S
<i>schlimii</i>	
<i>Physosiphon</i>	
<i>tubatus</i> (<i>carinatus</i>)	
<i>Pierardia</i>	
<i>bicolor</i> (<i>Dendrobium pierardii</i>)	
<i>Pinalia</i>	
<i>alba</i> (<i>Eria spicata</i> etc)	S
Fragrant Orchid Species	77 The Canadian Orchid Congress

Piperia		
unalascensis (Habenaria u)	I	
Platanthera		
algeriensis		
arcuata (Habenaria a)		
bakeriana (Habenaria b)		
bifolia (solstitialis)		
" var montana (montana)		
blephariglottis		
bulbinella (Schizochilus b)		
cristata		
dilitata		
diphylla		
elegans		
fimbriata (Habenaria f etc)		
finetiana (Habenaria stenantha var auriculata)		
henryi (Habenaria l)		
hologlottis		
hookeri (Habenaria h)		
hyperborea (Habenaria h)		
incisa (Habenaria h)		
integra (Habenaria l)	honey	
japonica (manubriata) (sechuanica)	VS	
keiskei (mandarinorum)		
leucophaea (Habenaria l)		
makinoi		
mandarinorum (keiskei)		
manubriata (japonica etc)		
maximowicziana		
montana (bifolia var montana)		
(Habenaria chlorantha)		
nipponica		
nivea	S	
obtusata		
ophrydioides		
orbiculata (Habenaria o)		
peramoena (Habenaria p)		
psycodes (Habenaria p)		
sachalinensis		
sechuanica (japonica etc)		

sparsiflora
stricta (*Habenaria gracilis*)
susanna (*Pecteilis s* etc)
viridis (*Coeloglossum viride* etc)

Platyclinis
see *Dendrochilum*

Platypus
altus (*Eulophia alta*)

Plectorrhiza
brevilabris S
tridentata VS

Plectrelminthus
caudatus (*bicolor*) (*Angraecum caudatum*)
(*Listrostachys caudata*) E

Pleione
N+confusa
forrestii
humilis
grandiflora
lagenaria F
maculata
praecox
speciosa

Pleurothallis
elegans S
gelida SW
ghiesbreghtiana
glandulosa
glomerata (*ruscifolia*) del
glossophogon (*insignis*)
glumacea
grobyi
insignis (*glossopogon*) F
mirabilis
pterophora SW

<i>quadrifida</i>	
<i>racemiflora</i>	pungent
<i>ramulosa</i>	
<i>ruscifolia (glomerata)</i>	
<i>sonderana</i>	
<i>xanthophthalma</i>	F

Pogonia
divaricata (Cleistes d)

Polychilus
cornu-cervi (Phalaenopsis c)

Polycycnis
barbata (gratiosa) cinnamon to unpleasant

Polyradicion
lindeni (Polyrrhiza l)
(Dendrophylax funalis)

Polyrrhiza
funalis (Aeranthes f etc)
(Limodorum funale)
lindeni (Angraecum, Dendrophylax,
Polyradicion l)

Polystachya
affinis
bicarinata F
cultriformis
extinctoria
flavescens
foliosa
gerrardii del
hollandii del roses
lindleyana (pubescens)
luteola (minuta etc) (Epidendrum l)
melliodora honey
minuta (luteola) (Epidendrum m)
neobenthamia (gracilis)
odorata (puberula)
ottoniana var o del

phalei	orange blossom
Polystachya	
puberula (odorata)	
pubescens (lindleyana)	
Prasophyllum	
australe	S SW
alatum	SW
cucullatum	SW
fimbria	S
fuscum	SW
muelleri	
odoratum	SW
Promenaea	
citrina (xanthina etc)	
(Maxillaria x etc)	
florida (Neogardneria murrayana etc)	
microptera (Zygopetalum micropterum)	
stapelioides (Zygopetalum s)	spice
xanthina (citrina etc)	S
Pseuderopsis	
schomburgkii (Eriopsis biloba, s)	
Psychilis	
atropurpurea	
(Epidendrum atropurpureum etc)	
Pterostylis	
nutans	
Rangaeris	
amaniensis (listrachys)	S SW vanilla E
brachyceras	
listrachys (amaniensis)	
muscicola	SW E
rhipsalisocia	
Renanthera	
coccinea	

flos-aeris (Arachnanthe f etc)
hookeriana (Arachnis h etc)

Rhizanthella gardneri SW

Rhynchadenia

Rhyncholaelia
digbyana (Brassavola d) XS N
glauca (Brassavola g)

Rhynchostylis		
coelestis (<i>Saccolabium coeleste</i>)		SW VS
" var alba		
gigantea (<i>Saccolabium giganteum</i>)		XS SW
retusa (<i>Saccolabium retusum</i>)		
" var alba		

Robiquetia
compressa SW

Rodriguezia	
batemanii (lindeni) (pubescens)	
bracteata	
candida	SW citron
compacta	
crispa (Gomesa c)	
decora	F
dressleriana	
foliosa (Gomesa f)	
fragrans hort (venusta)	
lanceolata (secunda)	
leeana	
lehmannii	S
lindeni (batemanii etc)	
maculata (Burlingtonia m)	
planifolia (Gomesa p etc)	

pubescens (*Burlingtonia* p)
recurva (*Gomesa* r etc)
rigida
rubescens (*batemani* etc)
secunda (*lanceolata*) (*Burlingtonia* s)
venusta (*fragrans* hort)
 (*Burlingtonia* f)
uliginosa

Rodrigueziella
 fragrans (*Saccolabium* f)

Rossioglossum
 grande (*Odontoglossum* g)
 insleayi (*Odontoglossum* l)

Saccolabium
 (Gastrochilus)
 bellinum (*Gastrochilus bellinus*)
 bigibbum (*Gastrochilus bigibbus*)
 calcaratum (*Sarcanthus tridentatus*)
 (Sarcochilus calcaratus)
 calceolare (*Gastrochilus calceolaris*)
 coeleste (*Rhyrostylis coelestis*)
 curvifolium (*Ascocentrum c*)
 fragrans (*Rodrigueziella* f)
 giganteum (*Rhynchostylis gigantea*)
 hendersoni (*penangianum*)
 (Malleola pengangiana)
 hendersonianum (*Ascocentrum h*)
 (Dyakia h)
 longifolia (*Acampe l* etc)
 mombasensis
 papillosum (*Acampe papillosa*)
 penangiana (*hendersonianum* etc)
 retusum (*Rhynchostylis retusa*)
 rhopalorrhachis
 speciosum (*Aerides maculosum* etc)
 violaceum

Sarcanthus
 tridentatus

(*Sarcochilus calcaratus* etc)

Sarcochilus

aureus (pallidus etc)	
australis (barklyanus) (gunnii)	
(parviflorus)	
(<i>Thrixspermum australe</i>)	SW
barklyanus (australis etc)	
calceolus (<i>Thrixspermum c</i>)	
calcaratus (<i>Saccolabium calcaratum</i>)	
ceciliae	
cladostachys (pallidus etc)	
dilatatus	
falcatus (<i>Thrixspermum falcatum</i>)	honey
fitzgeraldii	
gunnii (australis)	
hartmannii	S
hartwegii	honey
hillii FVM (<i>Dendrobium h FVM</i>)	
miniculatus	
muriculatum (<i>Thrixspermum m</i>)	
olivaceus (<i>Thrixspermum olivaceum</i>)	SW ginger
pallidus (aureus) (cladostachys)	
(unguiculatus)	
(<i>Thrixspermum unguiculatus</i>)	VS
papillosa (praemorsus) (<i>Acampe p</i>)	
parviflorus (australis etc)	
praemorsus (papillosa etc)	
unguiculatus (pallidus etc)	
virescens	S vanilla
viride (<i>Coeloglossum v</i>)	

Sarcopodium

acuminatum (<i>Epigeneium a</i>)	
coelogyne (<i>Epigeneium c</i>)	XS
cymbidioides (<i>Epigeneium c</i>)	
dearei hort (<i>Bulbophyllum d</i> etc)	
lobbii (<i>Bulbophyllum l</i>)	
macranthum (<i>Bulbophyllum m</i>)	

Satyrium

albiflorum (<i>nepalense</i> etc)	
------------------------------------	--

beyrichianum (sphaerocarpum etc)
bifolium
carneum (Orchis carnea)
cucullatum (membranaceum)
densum
macrophyllum
membranaceum (cucullatum)
militare (sphaerocarpum etc)
nepalense (albiflorum) (pallidum)
 (perrottetianum) (wightianum)
pallidum (nepalense etc)
perrottetianum (nepalense etc)
sphaerocarpum (beyrichianum) (militare)
viride (Coeloglossum v)
wightianum (nepalense etc)

Scapularia

see Holothrix

Schizochilus

bulbinella (Brachycorythis, Platanthera b)

Schlivia

jasminodora	jasmine
trifida	VS

Schoenorchis

fragrans (manipurensis)

Schomburgkia

(Myrmecophila *) (Laelia)	
carinata (Laelia lyonsii)	
humboldtii (Laelia h)	
lyonsii (Laelia l)	*
superbiens (Laelia s)	*
tibicinis (Laelia t)	
undulata (Laelia u)	

Scuticaria

(all)
hadwenii (Bifrenaria h)
steelii (Maxillaria flagellifera, s)

Sedirea

japonica (Aerides j)
fastuosa (Aerides f)

Seidenfadenia

mitrata (Aerides m) candy

Serapias

epidendroides (Eulophia e etc)

Sigmatostalix

radicans (Ornithophora r)

Sobennikoffia

humbertiana S spice
robusta E spice

Sobralia

chlorantha (macrophylla)
decora
dichotoma (mandoni)
elizabethae (liliastrum)
epiphytica (suaveolens)
eublepharis (fragrans)
fragrans (eublepharis) SW
galeottiana (sessilis)
leucoxantha (powellii)
liliastrum (elizabethae)
lindleyana
macrantha
macrophylla (chlorantha)
mandoni (dichotoma)
odoratissima (violacea)
panamensis
powellii (leucoxantha)
rolfeana
rosea (ruckeri)
ruckeri (rosea)
suaveolens (epiphytica)
sessilis (galeottiana)

violacea (odoratissima)
xantholeuca hort

<i>Spiranthes</i>		
<i>aestivalis</i>		
<i>australis (sinensis)</i>		
<i>autumnalis (spiralis)</i>		
<i>cernua (constricta) (Ophrys c)</i>	SW	
<i>constricta (cernua etc)</i>		
<i>exigua</i>	F	
<i>gracilis (lacera)</i>	F	
<i>lacera (gracilis)</i>		
<i>odorata</i>		
<i>romanzoffiana</i>		
<i>sinensis (australis)</i>		
<i>spiralis (autumnalis)</i>	F SV	
<i>tortilis</i>	I	
<i>vernalis</i>	I	

<i>Stanhopea</i>		
amoena (wardii etc)		
anfracta		
annulata		
aromatica (graveolens etc)		
aurea (wardii etc)		
bucephalus (oculata etc)		
calceolata (eburnea etc)		
calceolus hort eucalyptus		
candida		SW
" var randii		
cavendishii (devoniensis etc)		
cirrhata		
connata (tadeasii)		S spicata
costaricensis (graveolens etc)		VS
convoluta (tricornis)		
cymbiformis (oculata etc)		
devoniensis (cavendishii) (hernandezii)		
(maculosa) (nigroviolacea)		
eburnea (calceolata) (grandiflora LDL)		jasminoides

ecornuta (<i>Stanhopeastrum</i> e)	
expansa (tigrina)	
fregiana	
grandiflora (Anguloa g HBK)	
grandiflora LDL (calceolata) (eburnea)	VS
graveolens (aromatica) (costaricensis)	
(venusta) (eburnea)	
(inodora) (warszewicziana)	S aromatic
guttata (guttulata) (oculata etc)	
harrisoniae (Bifrenaria h etc)	
hasselowiana	
hernandezii (devoniensis)	XS fruit, jasmine
" var superba	melon, vanilla
implicata (martiana etc)	
inodora (graveolens etc)	
insignis	S cinnamon
intermedia	
jenischiana	vanilla, cinnamon
N+ lewisae	
lietzii	
lindleyi (oculata etc)	
lowii (reichenbachiana)	
lyncea	
maculosa (devoniensis etc)	
madauxiana (platyceres)	
marshii (saccata)	
martiana (implicata) (velata)	
nigroviolacea (devoniensis etc)	
novagaliciano	
oculata (bucephalus) (cymbiformis)	vanilla
(guttata) (guttulata) (lindleyi)	
(ornatissima) (purpusii)	? (C)
ornatissima (oculata etc)	
panamensis	
platyceres (madauxiana)	
pulla	
purpusii	
radiosa	
randii (candida)	
reichenbachiana (lowii)	jasmine
saccata (marshii)	cinnamon
shuttleworthii	

- tadeasii (connata)
- tigrina (expansa)
- tricornis (convoluta) (wallisii) (wardii) heady, jasmine
- velata (martiana etc)
- venusta (graveolens)
- wallisii (tricornis)
- wardii (amoena) (venusta) VS SW chocolate
- " var aurea
- warscewicziana (graveolens etc)

Stanhopeastrum ecornutum (Stanhopea e)

Staurochilus

- dawsonianus
- fasciatus (Trichoglottis f)
- ionosma (Trichoglottis I)
- luzonensis (Trichoglottis I)

Stauropsis
fasciata (Trichoglottis f)
gigantea (Vandopsis g) I
lissochiloides (Vandopsis l) SW
parishii (Vandopsis p) SW
philippinensis (Trichoglottis p)
undulata (Vandopsis u)
warocqueana (Vandopsis w)

Stelis
fimbriata (Chondrorhyncha f)
fragrans

Stenia
fimbriata (Chondrorhyncha f)

Stenocoryne racemosa (Adipe r etc)

Summerhayesia zambesiaca

Tainia

stellata (*Eria javanica* etc) F

Tetramicra

bicolor (*serrulata*)
(*Bletia*, *Leptotes* b)
canaliculata (*rigida*) (*Bletia r*) F
parviflora (*Bletia p*) F
rigida (*canaliculatum* etc)
serrulata (*bicolor* etc)

Thelymitra

antennifera
aristata (*augustifolia*) (*grandis*)
(*megacalyptra*) roses
nuda

Theodorea

gomezioides (*Gomesa theodorea*)
(*Hellerorchis g*)

Thicuania

moschata (*Dendrobium moschatum*)

Thorvaldsenia

speciosa (*Chysis aurea* var *bractescens*)

Thrixspermum

aurantiacum
australe (*parviflorum*)
(*Sarcochilus australis*)
calceolus (*Sarcochilus c*)
congestum
falcatus (*Sarcochilus falcatum*)
formosanum
hillii FVM (*Sarcochilus h*)
muriculatum (*Sarcochilus m*)
olivaceum (*Sarcochilus olivaceus*)
parviflorum (*australe*)
unguiculatum (*Sarcochylus pallidus* etc)

Thunia

bensoniae

Tolumnia
bahamense (Oncidium b)
variegatum (Oncidium v)

Trichocentrum
albo-coccineum
tigrinum

Trichoglottis
 brachiata
 fasciata (Staurochilus, Stauropsis f)
 flexuosa (rosea etc)
 ionosma (Cleisostoma ionosmum)
 (Staurochilus I)
 luzonensis
 phillipinensis (Stauropsis p)
 " var brachiata
 retusa
 rosea (flexuosa) (Cleisostoma roseum)
 sagerikii
 wenzlji

Trichopilia

- albida (fragrans etc)
- backhauseana (fragrans etc)
- brevis
- candida (fragrans etc)
- coccinea (marginata etc)
- crispa (marginata etc)
- fragrans (albida) (backhauseana)
 - (candida) (lehmanni) (wagneri) S almonds
- galeottiana (picta)
- hymenantha (subulata etc)
- jamaicensis (subulata etc)
- kienastiana (suavis)
- laxa (reichenheimi)
- lehmanni (fragrans etc)
- leucoxantha
- maculata (powellii)
- marginata (coccinea) (crispa)

picta (galeottiana)
powellii (maculata)
reichenheimii (laxa)
sanguinolenta (Helcia s)
suavis (kienastiana) S hawthorn
subulata (hymenantha) (jamaicensis)
(*Cymbidium subulatum*)
tortilis licorice
turialbae
wagneri (fragrans etc)

Tridactyle
gentillii SW E

Trichosma
coronaria (suavis) (Eria c)

Trichotosia
pulvinator

Tridachne
virens (Notilia barkeri) F

Tridactyle
bicaudata (angraecum bicaudatum) coumarin
fimbriata
polychista
teretifolia del N

Trudelia
alpina (Vanda a)
griffithii (Vanda g)

Tuberolabium
quisumbingii

Tylochilus
flavus (Cyrtopodium andersonii)
gentilii S SW coumarin

Vanda

alpina (Trudelia a)	F
amesiana (Holcoglossum amesianum)	S
batemani (Vandopsis lissochiloides etc)	
bensoni	
bicaudata (Cottonia championi)	
(Diploprora championi etc)	
boxallii (lamellata var. b)	
cathcartii (Arachnis c etc)	
clitellaria (lamellata etc)	
coerulescens	
concolor (esquirolei)	
(roxburghii var unicolor)	SW
cristata (striata)	F
cumingii (lamellata etc)	
dearei	S lemon
denisoniana	
esquirolei (concolor etc)	
gigantea (lindleyana) (Vandopsis g etc)	aromatic
griffithi (Trudelia g)	
hastifera	S
helvola	F SW I
insignis	XS
kimballiana	
kwangtungensis	
lactea	
lamellata (clitellaria) (cumingii)	
(vidalii)	
" var boxalli (boxalli)	
lilacina	
limbata	
lindleyana (gigantea etc)	
lissochiloides (batemannii)	
(Vandopsis l)	
longifolia (Acampe l etc)	
? luzonica	S honeysuckle
merrillii	S peculiar
multiflora (Acampe m)	
parishii (Hygrochilus p) (Vandopsis p)	
pulchella	
pumila	VS
purpurea (tricolor etc)	
roeblingiana	

roxburghii (tessellata etc)	S
sanderiana (Euanthe s)	
scandens	
spathulata	I
striata (cristata)	
suaveolens (tricolor etc)	
suavis (tricolor var s)	
sumatrana (Lake Tela type)	VS
teres (Papilionanthe t)	
tessellata (roxburghii) (tesselloides)	
tesselloides (tessellata etc)	
tricolor (purpurea) (suaveolens)	S
" var suavis (suavis)	S
" var planilabris	S
undulata (Stauropis, Vandopsis u)	
vidalii (lamellata etc)	
watsonii	

Vandopsis

batemani (Vanda b)	
gigantea (Stauropis, Vanda g)	
(Vanda lindleyana)	
lissochiloides (Stauropis, Vanda l)	
(Vanda batemani)	SW
parishii (Stauropis p) Vanda p)	
undulata (Stauropis, Vanda u)	
warocqueana (Stauropis w)	

Vanilla

africana	
aphylla	F
aromaticum	
articulata (barbellata)	
barbellata (articulata)	
bicolor	
calopogon	F

Vanilla chenisconiae var fragrans	
dilloniana	
fragrans (planifolia etc)	
grandiflora (quianensis) (pompona)	
guianensis (pompona etc)	

<i>imperialis</i>	(??)
<i>phaeantha</i>	
<i>planifolia (fragrans) (Myrobroma f)</i>	
<i>polylepis</i>	F vanilla
<i>pompona (grandiflora) (guianensis)</i>	heliotrope fruit
<i>tahitensis</i>	
<i>wrightiana</i>	

Warrea

<i>discolor (Chondroryncha d)</i>
<i>marginata (Chondroryncha m)</i>
<i>tricolor LDL (warreana etc)</i>
<i>unijugata (warreana etc)</i>
<i>warreana (tricolor) (unijugata)</i>
(<i>Maxillaria w</i>)

Warszewiczella

see *Chondroryncha*

Xylobium

<i>centroglossum</i>	VS SW
<i>colleyi</i>	
<i>elongatum</i>	F cucumber
<i>foveatum (<i>Maxillaria foveata</i> etc)</i>	F
<i>hyacinthianum</i>	hyacinth
<i>palmifolium</i>	F
<i>powellii</i>	
<i>squalens</i>	

Ypsilopus

longifolia

Zeuxine

strateumatica (sulcata)

Zygocolax

N+ *veitchii*

Zygopetalum

(all?) *africanum*

(*Odontoglossum bictoniense* etc)

amazonicum

(Chondrorhyncha amazonica etc)	
aromaticum (Chondrorhyncha aromatica)	
batemannii (Huntleya meleagris etc)	
binota (Neogardneria b)	
boliveanum (intermedium var peruvianum)	
brachypetalum	
burkei	
burtii (Huntleya meleagris etc)	
cerinum (Huntleya c)	
(Pescatoria cerina etc)	
chloranthum (Batemannia armillata)	
citrinum (xanthinum)	
(Promenaea citrina, xanthina)	
cochleare	
(Chondrorhyncha flabeliformis)	
coelesta (Bollea coelestis)	
crepauxi (crinitum etc)	
crinitum (crepauxi) (pubescens)	
(stenochilum)	S carnation
dayanum (Bollea, Pescatorea d)	
discolor (Chondrorhyncha d etc)	
fragrans (Chondrorhyncha marginata etc)	
graminifolium	
grandiflorum (Mendonsella grandiflora)	
hasslerianum (maxillare etc)	
intermedium (mackayi PAXT) (roezii)	
(velutinum)	S SW
" var peruvianum (bolivianum)	
jugosum (Colax jugosa)	
klabochorum (Bollea k)	
labiosum (Menadenium l etc)	
lalindei (Bollea l)	
lawrenceanum (Bollea lawrenceana)	
lehmanni (Pescatorea l)	
lindeni (Chondrorhyncha amazonica etc)	
mackayi PAXT (intermedium etc)	
mackayi HK	S SW D hyacinth
" var crinitum (microtis)	
mandibulare (maxillare etc)	
maxillare (hesslerianum) (mandibulare)	
meleagris (Huntleya m etc)	
micropterum (Promenaea microptera)	

microtis (mackayi HK var crinitum)
mosenianum
murrayanum (Neogardneria murrayana etc)
patini (Bollea p)
pediculatum
perrenoudii
pubescens (crinitum etc)
pulvinari
roezlii (intermedium etc)
rostratum (Menadenium labiosum)
stapeliodes (Promenaea s)
stenochillum (crinitum etc)
tricolor (Acacalis cyanea
var tricolor NEBr etc)
velatum (Chondrorhyncha marginata etc)
velutinum (intermedium etc)
violaceum (Bollea violacea etc)
wailesianum (Chondrorhyncha wailesiana) sweet pea
wendlandii (Chondrorhyncha aromatica)
xanthinum (citrinum)

Zygosepalum

rostratum (Menadenium r etc)

Zygostates

grandiflora
lunata